NOTES:

1.0 ELECTRICAL SPECIFICATIONS:

1.1 FREQUENCY RANGE: DC to 8.0 GHz.

1.2 MAXIMUM INPUT POWER:

2 WATTS AT +25°C

1 WATT AT +125°C

1.3 MAXIMUM VSWR:

DC to 4 GHz: 1.05:1 4 to 8.0 GHz: 1.10:1

1.4 IMPEDANCE: 50 OHMS


1.5 TEMPERATURE RANGE: -65°C to +125°C

1.6 WEIGHT: .12 Oz. (3.4 GRAMS) MAX.

2.0 MARKING:

2.1 MARK UNIT AS SHOWN:

(REF: INK-2639-27-62)



DATE	8/14/95	10/31/05
DESCRIPTION	RELEASED	ADDED TITLEBLOCK
REV.		7

UNLESS OTHERWISE NOTED DIMENSIONS	34078	MIDWEST MICROWAVE				
ARE IN INCHES AND TOLERANCES ARE:	NOTICE: The contained in	information	2 WATT TERMINATION			
3 PLACE DECIMALS ±.005	drawing is					
2 PLACE DECIMALS ±.02	and must n					
FRACTIONS ±1/64	without the of Midwest					
PARALLELITY: T.I.R	2011111/0175	5110 /0.175				
FLATNESS: T.I.R	DRAWN/DATE M.STAFFORD 8/11/95	eng./date C.BONK 8/14/95	DRAWING N TRM-20	umber)92-M0-S	MA-02	
CONCENTRICITY: T.I.R	CHECKED/DATE	APPROVED/DATE				
ANGLES AND PERPENDICULARITY: ±1°	A.BEÄTTY 8/14/95		SCALE:	5=1	SHEET	1 of 1

TRM-2092-M0-SMA-02

MODEL NUMBER