Health & Safety

Table of Contents

Section	Page
Health & Safety	5-56
3M [™] Personal Air Monitoring Systems	
3M™ Environmental Safety	
Personal Care	8
3M [™] Automotive Respirators	8-28
3M [™] Automotive Welding Personal Protective Products	29-38
3M™ Automotive Eye, Head and Face Protection Products	
3M [™] Automotive Hearing Protection Products	

3M[™] Personal Air Monitoring Systems

3M[™] Automotive Personal Air Monitoring Systems

	37023	52512	
Description	For use in measuring workplace exposures to organic vapors with prepaid analysis included in the monitor cost. (Technical calls go to OHESD)	End user replaceable waist belt tang for Air-Mate 2000 SCBA systems.	
Part Number	37023	52512	
UPC	0-00-51131-37023-4	0-00-51131-52512-2	
Product Name	3M™ Organic Vapor Monitor	3M™ Waist Belt Tang BAP-1017270	
Packaging	1 per case	1 per case	

3M[™] Environmental Safety

3M™ Automotive Environmental Safety Products

	07164	07165	07166	07167
	and the second			
Description	Ideal for placing in, under and around machines to catch drips. It is highly sorbent and non-granular so it will not damage plant equipment. Each case sorbs 37.5 gallons and contains 100 pads (each 15.5 inches by 20.5 inches).	Used to clean up small spills and wipe down oily tools and equipment. Designed to be placed on machinery to catch leaks at the source. Each case sorbs 31.5 gallons and contains 100 pads (each 7.5 inches by 20.5 inches).	Designed to cover large surfaces and may be easily cut to fit tight corners. Can also be used to cover large spills or as a precaution in areas where large spills may occur. Each roll is 15.5 inches by 150 feet and sorbs 31 gallons.	Designed to cover large surfaces and may be easily cut to fit tight corners. Can also be used to cover large spills or as a precaution in areas where large spills may occur. Each roll is 38 inches by 150 feet and sorbs 76 gallons.
Part Number	07164	07165	07166	07167
UPC	5-00-51131-07164-8	5-00-51131-07165-5	5-00-51131-07166-2	5-00-51131-07167-9
Product Name	3M [™] Maintenance Sorbent Pad M- PD1520DD/M-A2002	3M [™] Maintenance Sorbent Production Pad M-PD720GG	3M™ Maintenance Sorbent Roll M- RL15150DD/M-B2001	3M [™] Maintenance Sorbent Roll M- RL38150DD/M-B2002
Packaging	100 per case	100 per case	1 per case	1 per case

3M[™] Environmental Safety

3M™ Automotive Environmental Safety Products (continued)

	07168	07169	07172	07173
				S S S S S S S S S S S S S S S S S S S
Description	Will sorb most non-aggressive liquids and is used in maintenance applications. Each case contains 6 booms which will absorb 2 gallons each. A case weighs 12 pounds.	The sorbent drum cover is designed to be used on a 55 gallon drum to catch drips and spills that occur during the dispensing of all types of non-aggressive liquids used in daily operations. Contains 25 covers per case and sorbs 12 gallons/case.	This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. It is dispensed from a carrying/dispenser box in the form of a continuous roll with perforations every 16 inches.	Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means fewer products need to be stocked to meet your sorbent needs. The folded sorbent is perforated every 16 inches to allow you to select the length required, so theres less waste.
Part Number	07168	07169	07172	07173
UPC	5-00-51131-07168-6	5-00-51131-07169-3	5-00-51131-07172-3	5-00-51131-07173-0
Product Name	3M [™] Maintenance Sorbent Mini- Boom	3M [™] Maintenance Sorbent Drum Cover M-DC22DD/M-R2001	3M [™] Maintenance Sorbent Folded M-FL550DD/M-F2001	3M [™] Petroleum Sorbent Folded P- FL550DD/T-F2001
Packaging	6 per case	25 per case	3 per case	3 per case
	07175	16049	16050	16051
	1			
Description	Compact for easy storage, and ideal for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1-chemroll, 5 inches by 26 feet and one temporary disposal bag	This highly sorbent pad features a low-profile design, for easy placement in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200 pads(each 17 inches by 19 inches).	This high capacity sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gallons and contains 100 pads (each 17 inches by 19 inches).	This highly sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inches).
Description Part Number	for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1- chemroll, 5 inches by 26 feet and	low-profile design, for easy place- ment in tight areas. Ideal for clean- ing up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200	tures a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gal- lons and contains 100 pads (each	low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inch-
·	for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1- chemroll, 5 inches by 26 feet and one temporary disposal bag	low-profile design, for easy place- ment in tight areas. Ideal for clean- ing up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200 pads(each 17 inches by 19 inches).	tures a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gal- lons and contains 100 pads (each 17 inches by 19 inches).	low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inches).
Part Number	for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1- chemroll, 5 inches by 26 feet and one temporary disposal bag	low-profile design, for easy place- ment in tight areas. Ideal for clean- ing up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200 pads(each 17 inches by 19 inches).	tures a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gal- lons and contains 100 pads (each 17 inches by 19 inches).	low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inches).

3M[™] Environmental Safety

3M™ Automotive Environmental Safety Products (continued)

	16054	17596	28990	28991
Description	This boom is a 8 inches by 10 feet scrim encased tube of particulate sorbent material secured by a UV resistant netting. Built-in attachment clips are provided at each end of the boom allowing the booms to be linked together, overlapping and preventing seepage between segments.	Mini-booms are typically used to encircle spills and to contain leaks. A 3 inch diameter scrim on the outside of the boom identifies the application. This boom is 4 feet in length.	Designed to cover large surfaces, can be easily placed in tight areas. Ideal for cleaning-up small spills and wiping down contaminated areas. The HP-100 roll sorbs 73 gallons per roll and is 38 inches by 144 feet long.	This high capacity, low profile Sorbent pad, picks up petroleum based fluids, will not absorb water. For routine use, cleaning up small spills and wiping contaminated areas. 100 pads (19 inch X 17 inch) per bale, (37.5 gallons/bale).
Part Number	16054	17596	28990	28991
UPC	0-00-21200-16054-7	5-00-51138-17596-7	0-00-51138-28990-4	5-00-51138-28991-6
Product Name	3M [™] Petroleum Sorbent Boom T- 270	3M [™] Chemical Sorbent Mini-Boom P-200	3M [™] Petroleum Sorbent Roll HP- 100	3M [™] Petroleum Sorbent Pad HP- 156
Packaging	4 per case	12 per case	1 per case	100 per case
	29002	29003	29097	46286
Description	Used in areas where foot and vehicle traffic is a concern. Designed to sorb liquids while enduring the punishment of being tread upon, sorbent rugs are both durable and versatile. Each rug comes in a roll 36 inches by 300 feet and sorbs 32 gallons per roll.	This rug is designed for use in industrial maintenance applications where foot and vehicle traffic is a concern, and will sorb most nonaggressive liquids. Each rug comes in a roll 36 inches by 100 feet and sorbs 10.5 gallons per roll.	Can be easily cut to cover small areas or fit tight corners. May be used to cover bench tops in antici- pation of a spill while also acting as a work surface. Able to sorb 31 Gallons/roll. Each roll is 15.25 inches by 150 feet.	Can be stored indoors or outdoors. Easily identified by its bright white color. Packed in an element resist- ant 20-gallon drum. Combines both folded sorbent materials and high capacity pads which allow for selection of product for each response situation.
Part Number	29002	29003	29097	46286
UPC	0-00-51138-29002-3	0-00-51138-29003-0	0-00-51138-29097-9	0-00-51138-46286-4
Product Name	3M [™] Maintenance Sorbent Rug M- RG36300E	3M [™] Maintenance Sorbent Rug M- RGC36100E	3M [™] Chemical Sorbent Roll C- RL15150DD	3M [™] Petroleum Sorbent Spill Kit P-SKFL31
Packaging	1 per case	1 per case	1 per case	1 per case
	54203	86807	98706	
		Control Street S		
Description	Meets the performance criteria for fit testing respirators under the cur- rent OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.	Scotch® Bundling Straps are the perfect organizing solution. Great for household objects such as computer cables, extension cords and rope. Each strap can be used multiple times.	Versatile power adapter for charg- ing the portable gas detectors equipped with a rechargeable bat- tery. Come with four plug adapters.	
Part Number	54203	86807	98706	
UPC	0-00-51138-54203-0	0-00-51131-86807-6	0-00-51131-98706-7	
Product Name	3M [™] Qualitative Fit Test Apparatus FT-30	Scotch® 8 in Bundling Straps	3M [™] Universal Power Adaptor 457-221-005	
Packaging	1 per case	24 per case	1 per case	

Personal Care

Personal Care

	50863	62040	62041
	Promite's		
Description	16 fl. oz (500 mL) Instant Hand Antiseptic with Moisturizers (Pump Bottle), (Wall Bracket avail- able through 3M Sales Representative).	1 inch x 3 inch (25mm x 76mm) Flexible Foam Bandages, Strips	3/4 inch x 3 inch (19mm x 76mm) Flexible Foam Bandages, Strips
Part Number	50863	62040	62041
UPC	5-07-07387-50863-5	5-00-51131-62040-2	5-00-51131-62041-9
Product Name	3M [™] Avagard [™] D Instant Hand Antiseptic with Moisturizers (Pump Bottle) 9222	Nexcare [™] Active [™] Strips Flexible Foam Bandages 17021	Nexcare™ Active™ Strips Flexible Foam Bandages 17020
Packaging	12 per case	100 per box 12 boxes per case	100 per box 12 boxes per case

3M[™] Automotive Respirators

3M[™] Automotive Buffing, Grinding and Sanding Respirators

	07023	07048	07185	37021
Description	This economical disposable N95 particulate respirator is designed to help provide reliable worker respiratory protection against certain non-oil based particles.	Designed for use in grinding, sand- ing and buffing applications in the automotive aftermarket. Lightweight, two-strap filtering facepiece respirators with an adjustable noseclip and new braid- ed headstraps, this respirator helps provide excellent protection.	Designed for use in grinding, sanding and buffing applications. Lightweight, two-strap filtering facepiece respirators with exhalation valve for cool comfort and an adjustable nose clip, the 07185 helps provide excellent protection.	Is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles.
Part Number	07023	07048	07185	37021
UPC	5-00-51131-07023-8	0-00-51131-07048-6	0-00-51131-07185-8	5-00-51131-37021-5
Product Name	3M [™] Particulate Respirator N95	3M [™] Particulate Respirator N95	3M™ Particulate Respirator N95	3M [™] Particulate Respirator N95
Packaging	160 per case	20 per box 8 boxes per case	10 per box 8 boxes per case	240 per case

3M™ Automotive Respirators

3M™ Automotive Buffing, Grinding and Sanding Respirators (continued)

	37022	52750	54143	54285
	E CONTRACTOR OF THE PARTY OF TH			
Description	This disposable N95 particulate flatfold respirator features soft inner material and 3M™ Cool Flow™ Valve to help provide comfortable, reliable worker respiratory protection. Ideally suited for hot/dusty work settings that require long periods of wear.	This respirator offers all the great features of the 3M™ Particulate Respirator 8511, plus a comfortable foam face seal. Is uniquely designed to help provide protection against certain non-oil based particles. It is ideally suited for work settings that involve heat, humidity, or long periods of wear.	Is well suited for those who want NIOSHs highest rated filtration effi- ciency in a maintenance free respi- rator. It provides a minimum filter efficiency of 99.97% against non- oil based particles.	This disposable P95 particulate respirator features 3M proprietary advanced electret filter media, foam faceseal and 3M™ Cool Flow™ Valve to help provide comfortable worker respiratory protection against certain oil and non-oil based particles.
Part Number	37022	52750	54143	54285
UPC	5-00-51131-37022-2	5-00-51131-52750-3	5-00-51138-54143-4	5-00-51138-54285-1
Product Name	3M [™] Particulate Respirator N95	3M [™] Particulate Respirator N95	3M [™] Particulate Respirator N100	3M [™] Particulate Respirator P95
Packaging	120 per case	80 per case	20 per case	80 per case
	54371	66297	76499	
			SM Particular of the state of	
		da		
Description	This disposable P95 particulate respirator helps provide respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.*	Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions.	3M™ Particulate Respirator 8511 is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.	
Description Part Number	pirator helps provide respiratory protection against certain oil and non-oil based particles. The respi- rator features a carbon layer to remove nuisance levels of organic vapors. See product warning for	tion against certain oil and non-oil based particles. It features a col- lapse resistant shell for increased durability in most hot, humid condi-	is 3M recommended for sanding and working with fiberglass insula- tion and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort.	
·	pirator helps provide respiratory protection against certain oil and non-oil based particles. The respi- rator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.*	tion against certain oil and non-oil based particles. It features a col- lapse resistant shell for increased durability in most hot, humid condi- tions.	is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.	
Part Number	pirator helps provide respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.*	tion against certain oil and non-oil based particles. It features a col- lapse resistant shell for increased durability in most hot, humid condi- tions.	is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95. 76499	

3M[™] Respirator Accessories

	46464
	NIOCII approved for anyigamente containing cortain pap ail based partiales. Use with 2MTM Despirators 5000 Carios or 2MTM Contridges 5000
Description	NIOSH approved for environments containing certain non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series, and 3M™ Filter Retainer 501.
Part Number	46464
UPC	5-00-51138-46464-1
Product Name	3M™ Particulate Filter N95
Packaging	10 per case

3M[™] Automotive Dual Cartridge Respirators

	07024	07025	07026	07141
	SOS .	300		
Description	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	Use with 3M [™] Full Facepiece Respirators 6000 Series. It permits the wearer to use his/her corrective lenses and to make position adjust- ment that is most comfortable.
Part Number	07024	07025	07026	07141
UPC	5-00-51131-07024-5	5-00-51131-07025-2	5-00-51131-07026-9	0-00-51131-07141-4
Product Name	3M [™] Half Facepiece Reusable Respirator Small	3M [™] Half Facepiece Reusable Respirator Medium	3M [™] Half Facepiece Reusable Respirator Large	3M™ Spectacle Kit
Packaging	24 per case	24 per case	24 per case	1 per case
	07162	07163	07178	07179
Description	Provides both respiratory and limit- ed eye protection for the technician when properly worn.	Provides both respiratory and limited eye protection for the technician when properly worn.	Includes the 3M™ Low Maintenance Half Facepiece 07025 (medium), 1 pair organic vapor cartridges 07046, 1 pair filter retainers 07054, and 2 pairs of P-95 filters 07194.	Includes the 3M [™] Low Maintenance Half Facepiece 07026 (large), 1 pair organic vapor cartridges 07046, 1 pair filter retainers 07054, and 2 pairs of P-95 filters 07194.
Part Number	07162	07163	07178	07179
UPC	0-00-51131-07162-9	0-00-51131-07163-6	0-00-51131-07178-0	0-00-51131-07179-7
Product Name	3M [™] Full Facepiece Respirator Packout Medium	3M [™] Full Facepiece Respirator Packout Large	3M [™] Dual Cartridge Respirator Packout Medium	3M [™] Dual Cartridge Respirator Packout Large
Packaging	2 per case	2 per case	4 per case	4 per case
	07191	07192	07193	37077
		Solo		
Description	3M recommended for spray paint applications, with maintenance free design for convenience.	3M recommended for spray paint applications, with maintenance free design for convenience.	3M recommended for spray paint applications, with maintenance free design for convenience.	3M recommended for paint spray applications.
Part Number	07191	07192	07193	37077
UPC	0-00-51131-07191-9	0-00-51131-07192-6	0-00-51131-07193-3	5-00-51131-37077-2
Product Name	3M™ Dual Cartridge Respirator Assembly Small	3M [™] Dual Cartridge Respirator Assembly Medium	3M [™] Dual Cartridge Respirator Assembly Large	3M [™] Professional Series Half Facepiece Paint Spray Packout Small

3M[™] Automotive Dual Cartridge Respirators (continued)

	37078	37079	37081	37082
Description	3M recommended for paint spray applications.	3M recommended for paint spray applications.	This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduces heat and moisture build-up for cool, dry comfort.	This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduces heat and moisture build-up for cool, dry comfort.
Part Number	37078	37079	37081	37082
UPC	5-00-51131-37078-9	5-00-51131-37079-6	5-00-51131-37081-9	5-00-51131-37082-6
Product Name	3M [™] Professional Series Half Facepiece Paint Spray Packout Medium	3M™ Professional Series Half Facepiece Paint Spray Packout Large	3M [™] Half Facepiece Reusable Respirator Small	3M [™] Half Facepiece Reusable Respirator Medium
Packaging	4 per case	4 per case	10 per case	10 per case
	37083			
Description	This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduces heat and moisture build-up for cool, dry comfort.			
Part Number	37083			
UPC	5-00-51131-37083-3			
Product Name	3M [™] Half Facepiece Reusable Respirator Large			
Packaging	10 per case			

3M[™] Automotive Dual Cartridge Replacement Parts

	07046	07047	07054	07065
				The state of the s
Description	For use on all 3M [™] Low Maintenance and durable Facepiece Respirators with bayonet style attachment.	The 3M™ Organic Vapor/Acid Gas Cartridge 6003 helps provide respi- ratory protection against certain organic vapors or acid gases. Respirator cartridges work with 3M™ Half and Full Facepiece 6000, 7000 and FF-400 Series Full Facepiece respirators.	For use with the 3M [™] 07046 Organic Vapor cartridges and the 07047 Organic Vapor/Acid Gas car- tridges to attach the 07196 P95 fil- ters where there is a need for par- ticulate protection such as in a paint spray application.	Used to clean 3M [™] Elastomeric Facepiece Respirators. Individually packed 8 in x 10 in towelettes are alcohol free and will not damage the facepiece materials.
Part Number	07046	07047	07054	07065
UPC	0-00-51131-07046-2	5-00-51131-07047-4	0-00-51131-07054-7	5-00-51131-07065-8
Product Name	3M™ Organic Vapor Cartridge	3M™ Organic Vapor/Acid Gas Cartridge	3M™ Retainer	3M [™] Respirator Cleaning Wipe
Packaging	2 per pack 30 packs per case	60 per case	20 per box 5 boxes per case	500 per case
	07139	07140	07142	07143
Description	Wide viewing area and low, swept- back cartridge design for an excel- lent line of vision.	Wide viewing area and low, swept- back cartridge design for unob- structed line of vision. This respira- tor is designed with the painter in mind.	Use on 3M™ Full Facepieces 6000 Series to help protect the lens.	For use with the 3M™ Half Facepiece Respirators 6000 Series.
Part Number	07139	07140	07142	07143
UPC	0-00-51131-07139-1	0-00-51131-07140-7	5-00-51131-07142-6	5-00-51131-07143-3
Product Name	3M™ Full Facepiece Medium	3M™ Full Facepiece Large	3M [™] Faceshield Cover	3M™ Exhalation Valve
Packaging	1 per case	1 per case	25 per bag 4 bags per envelope	10 per case
	07144	07145	07194	07195
Description	6893 inhalation valve	Replaceable orange gasket used on the 3M™ Full Facepiece Respirators 6000 Series and 7800S.	NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M [™] Respirators 5000 Series or 3M [™] Cartridges 6000 Series, and 3M [™] Filter Retainer 501.	For use with automotive low mainte- nance half and full facepiece respira- tors and the automotive durable style half facepiece respirators.
Part Number	07144	07145	07194	07195
UPC	5-00-51131-07144-0	5-00-51131-07145-7	5-00-51131-07194-5	0-00-51131-07195-7
Product Name	3M [™] Inhalation Valve	3M™ Inhalation Port Gasket	3M™ Particulate Filter P95	3M [™] Replacement Cartridge/Filter Packout P95
Packaging	200 per case	80 per case	100 per case	5 per case

3M[™] Automotive Dual Cartridge Replacement Parts (continued)

	37000	37004	37005	37006
	310			
Description	This product features a proprietary design exhalation valve that increases user comfort by making breathing exhalation easier. The unique valve cover design also enhances the protection of the exhalation valve from debris.	Use as a replacement part for 3M [™] Full Facepieces 6700, 6800, 6900 (07138, 07139, 07140 AAD).	Use as a replacement part for 3M [™] Full Facepieces 6700, 6800, 6900 (07138, 07139, 07140 AAD).	Use as a replacement part on 3M [™] Full Facepieces 6000 Series.
Part Number	37000	37004	37005	37006
UPC	5-00-51131-37000-0	5-00-51131-37004-8	5-00-51131-37005-5	5-00-51131-37006-2
Product Name	3M [™] Center Adapter Assembly	3M [™] Nose Cup Assembly	3M [™] Head Harness Assembly	3M™ Lens Assembly
Packaging	F ========	E per cece	F	F ========
i ackayiiiy	5 per case	5 per case	5 per case	5 per case
i acrayiiy	37007	37080	5 per case	5 per case
ı avvayıny	·	·	5 per case	5 per case
Description	·	·	5 per case	5 per case
	Replacement part on 3M TM Full Facepieces 6000 Series. Use to secure 3M TM Lens Assembly 6898 to facepiece. Does not include	37080 This kit includes replacement parts to maintain the durable respirator	5 per case	5 per case
Description	Replacement part on 3M [™] Full Facepieces 6000 Series. Use to secure 3M [™] Lens Assembly 6898 to facepiece. Does not include lens.	37080 This kit includes replacement parts to maintain the durable respirator facepiece.	5 per case	5 per case
Description Part Number	Replacement part on 3M [™] Full Facepieces 6000 Series. Use to secure 3M [™] Lens Assembly 6898 to facepiece. Does not include lens. 37007	37080 This kit includes replacement parts to maintain the durable respirator facepiece. 37080	5 per case	5 per case

3M™ Automotive Fresh Air Kits

	07190	GVP-1	GVP-1U
Description	This NIOSH-approved powered air purifying respirator system helps provide respiratory protection and includes a comfortable belt-mounted assembly, breathing tube, lightweight headgear and organic vapor/high efficiency cartridge. Use when mobility is necessary.	This belt-mounted powered air purifying respirator assembly includes components needed to make a complete PAPR system. Helps provide respiratory protection when combined with 3M™ Headgear and breathing tube.	Includes the components needed to make a complete 3M [™] PAPR System. When combined with the 3M [™] Headgear and breathing tube, it provides protection for a wide range of applications.
Part Number	07190	GVP-1	GVP-1U
UPC	0-00-51131-07190-2	0-00-51138-29196-9	0-00-51138-46227-7
Product Name	3M [™] Belt-Mounted Powered Air Purifying Respirator (PAPR) Paint Spray Kit	3M [™] Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly GVP-1	3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly GVP-1U
Packaging	1 per case	1 per case	1 per case

3M™ Automotive Fresh Air Components

	07006	07008	07009	07010
Description	This panel is designed to filter and regulate air being delivered to the supplied air respirator. It has a maximum capacity of 50 cfm at 105 psig. Note: This unit will NOT remove carbon monoxide (CO) from compressed air source.	Used where the concentration of liquid aerosols in compressed air are greater than what can be filtered by the 3M™ Compressed Air Filter and Regulating Panel W-2806 alone.	Replacement filter for the 3M [™] Coalescing Filter Assembly W- 3012/37008(AAD).	This hose is 25 feet long and has a 3/8 inch inner diameter. It is equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings. You may not combine 25 or 50 foot lengths of the 3M™ Supplied Air Hose W-9435.
Part Number	07006	07008	07009	07010
UPC	0-00-51131-07006-6	0-00-51131-07008-0	5-00-51131-07009-2	0-00-51131-07010-3
Product Name	3M [™] Compressed Air Filter and Regulator Panel W-2806	3M [™] Coalescing Filter W-3012	3M™ High Efficiency Filter Element W-3013-4	3M [™] Supplied Air Hose W-9435-25
Packaging	1 per case	1 per case	4 per case	1 per case

	07012	07031	07033	07034
Description	This hose is 100 feet long and has a 3/8 inch inner diameter. It is equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings. 3M™ Supplied Air System approvals allow for 100 foot lengths of this hose to be combined up to a maximum of 300 feet. (3 sections)	Gray vinyl breathing tube is used with 3M™ Hood Supplied Air System H-Series.	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fittings. This hose can only be used in single lengths. Hoses cannot be combined.
Part Number	07012	07031	07033	07034
UPC	0-00-51131-07012-7	0-00-51131-07031-8	0-00-51131-07033-2	0-00-51131-07034-9
Product Name	3M [™] Supplied Air Hose W-9435- 100	3M™ Breathing Tube W-5114	3M™ Supplied Air Hose W-3020- 25	3M [™] Supplied Air Hose W-3020- 50
Packaging	1 per case	1 per case	1 per case	1 per case
	07035	07037	07044	07130
	07035	07037	07044	07130
Description	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M TM Hood Assemblies H-411 and H-412.	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses.	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose.
Description Part Number	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fittings. This hose can only be used in single lengths. Hoses cannot be	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M™ Hood	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial	NIOSH approved for use with a low pressure pump and includes a 50
·	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M TM Hood Assemblies H-411 and H-412.	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses.	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose.
Part Number	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M™ Hood Assemblies H-411 and H-412.	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses.	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose.
Part Number UPC	Can be used on 3M TM Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fittings. This hose can only be used in single lengths. Hoses cannot be combined. 07035 0-00-51131-07035-6 3M TM Supplied Air Hose W-3020-	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M™ Hood Assemblies H-411 and H-412. 07037 5-00-51131-07037-5	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses. 07044 0-00-51131-07044-8	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose. 07130 0-00-51131-07130-8 3MTM Half Facepiece Dual Airline

	07153	07154	07196	29208
Description	Includes the 3M™ Air Regulator SA-1009 and Waist Belt GVP-127. Used with breathing tube, facepiece, filters/cartridges and air supply hose, it makes a complete 3M™ Dual Airline Supplied Air Respirator.	Includes the 3M [™] Dual Airline Connector SA-1029 and the Waist Belt GVP-127. This assembly can be used with any 3M [™] Low Pressure Dual Airline Supplied Air Respirator.	This NIOSH-approved organic vapor/high efficiency cartridge helps provide respiratory protection in environments containing certain organic vapors and particulates. Used with 3M™ GVP Belt-Mounted Powered Air Purifying Respirator Systems.	This battery pack supplies the power to operate the motor blower. The nickel cadmium battery has overcharge protection and provides eight hours of use per charge. It has a life of approximately 1000 charge/discharge cycles.
Part Number	07153	07154	07196	29208
UPC	0-00-51131-07153-7	0-00-51131-07154-4	5-00-51131-07196-9	0-00-51138-29208-9
Product Name	3M [™] Dual Airline Air Regulating Valve Assembly SA-1007	3M [™] Dual Airline Connector Assembly SA-1027	3M™ Powered Air Purifying Respirator (PAPR) Organic Vapor/High Efficiency Cartridge	3M™ Powered Air Purifying Respirator Nickel Cadmium Battery Pack
Packaging	1 per case	1 per case	6 per case	1 per case
	29209	37008	37018	37019
	SM O			
Description	This battery charger will keep the battery properly charged and ready for use.	This bumpcap with wide-view faceshield can be used with certain 3M TM Powered Air Purifying Respirators or Supplied Air Respirator systems to help provide respiratory protection for a variety of applications. Allows the user to wear most prescription glasses.	This supplied air respirator assembly, when used with approved breathing tube and headgear, can help regulate the flow and temperature of supplied air system. Cools the air up to 50°F (28°C). Includes the cooling tube, waist belt and holder.	Allows the worker to set the airflow to the most comfortable level. Includes the valve and waist belt. It is strictly a regulator and will not warm or cool supplied air to the worker.
Part Number	29209	37008	37018	37019
UPC	0-00-51138-29209-6	0-00-51131-37008-1	0-00-51131-37018-0	0-00-51131-37019-7
			3M™ Supplied Air Respirator	3M™ Versaflo™ Air Regulating
Product Name	3M [™] Battery Charger GVP-112	3M™ Bumpcap	Vortex Cooling Assembly	Valve Assembly V-300

	37020	37027	37117	66155
Description	This assembly is approved for supplied air systems that use 3M [™] Low Pressure Hoses W-3020-25/07033(AAD), W-3020-50/07034(AAD), and W-3020-100/07035(AAD) at pressures between 6-15 psig. It includes the connector and waist belt.	This carbon monoxide(CO) monitor is designed to connect directly to the 3M [™] Compressed Air Filter and Regulator Panel W-2806.	Used with the 3M [™] Hoods H-410- 10/07037(AAD) and H-420-10.	This helmet can be used with 3M TM Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type I, II hardhat requirements. It has shroud options and provides an assigned protection factor of 1000 x PEL.
Part Number	37020	37027	37117	66155
UPC	0-00-51131-37020-3	0-00-51131-37027-2	5-00-51131-37117-5	0-00-51138-66155-7
Product Name	3M [™] Versaflo [™] Low Pressure Connector Assembly V-400	3M [™] Retrofit CO Monitor Kit W- 2808	3M™ Cap Suspension H-213-2	3M™ Helmet L-901
Packaging	1 per case	1 per case	2 per case	1 per case
	AWARDINI			
	6700DIN	6800DIN	6900DIN	CB-1000
	6700DIN	6800DIN	6900DIN	CB-1000
Description	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the back or on either side.
Description Part Number	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according	This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the
·	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the back or on either side.
Part Number	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6700DIN	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6800DIN	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the back or on either side. CB-1000
Part Number UPC	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6700DIN 5-00-51138-76701-8 3M TM Full Facepiece Reusable	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6800DIN 5-00-51138-76702-5 3M TM Full Facepiece Reusable	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6900DIN 5-00-51138-76703-2 3M TM Full Facepiece Reusable	This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the back or on either side. CB-1000 0-00-51131-37054-8

	GVP-100	GVP-110	GVP-112	GVP-113
	dvr-100	dvr-110	SM SM	avr-113
Description	Provides a level of air flow that surpasses NIOSH requirements. Depending on headgear and cartridge, the airflow ranges from 7.0-9.5 cfm. This unit weighs only 1.1 pounds and has a life of about 1000 hours.	Provides the necessary connection between the battery and the motor blower.	This battery charger will keep the battery properly charged and ready for use.	This meter measures the system air flow to make certain that it is at the proper level for the headgear and cartridges being used.
Part Number	GVP-100	GVP-110	GVP-112	GVP-113
JPC	0-00-51138-29206-5	0-00-51138-29207-2	0-00-51138-29209-6	0-00-51138-29210-2
Product Name	3M [™] Powered Air Purifying Respirator (PAPR) Unit	3M [™] Power Cord GVP-110	3M™ Battery Charger GVP-112	3M™ Flow Meter GVP-113
Packaging	1 per case	1 per case	1 per case	1 per case
	GVP-115	GVP-119	GVP-122	GVP-123
		(31)		
Description	These blower plugs are a replace- ment part for 3M TM Belt-Mounted Powered Air Purifying Respirator Systems. Includes five motor blow- er plugs and five air outlet plugs.	This cover is an optional component for 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Systems.	This breathing tube is used on 3M™ GVP Systems with H Series Hoods.	This breathing tube is used on 3M [™] GVP Systems that have 3M [™] Full Facepieces 7800S and 6000 DIN Series.
Part Number	GVP-115	GVP-119	GVP-122	GVP-123
JPC	0-00-51138-29212-6	5-00-51138-54304-9	0-00-51138-29214-0	0-00-51138-29215-7
Product Name	3M [™] Blower Plug GVP-115	3M [™] Shower Cover GVP-119	3M™ Breathing Tube GVP-122	3M [™] Breathing Tube GVP-123
Packaging	1 per case	5 per case	1 per case	1 per case
	GVP-128	GVP-401	GVP-402	GVP-403
Description	This web shoulder strap is a component of 3M™ GVP Systems. It supports and balances the battery pack and motor blower.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and fiters the air supplied to the headgean
Part Number	GVP-128	GVP-401	GVP-402	GVP-403
JPC	0-00-51138-29367-3	5-00-51138-29216-9	5-00-51138-29217-6	5-00-51138-29218-3
Product Name	3M™ Shoulder Strap GVP-128	3M [™] Organic Vapor Cartridge GVP- 401	3M [™] Acid Gas Cartridge GVP-402	3M [™] Organic Vapor/Acid Gas Cartridge GVP-403
Packaging	1 per case	6 per case	6 per case	6 per case

	GVP-404	GVP-405	GVP-440	GVP-442
			30 A	
Description	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M TM Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This NIOSH-approved particulate filter helps provide high efficiency respiratory protection in environments containing particulates. Used with 3M™ GVP Belt-Mounted Powered Air Purifying Respirator Systems.	This cartridge is used with the 3MTM Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.
Part Number	GVP-404	GVP-405	GVP-440	GVP-442
UPC	5-00-51138-29350-0	5-00-51138-29351-7	5-00-51138-29219-0	5-00-51138-29221-3
Product Name	3M™ Ammonia Cartridge GVP-404	3M™ Formaldehyde Cartridge GVP-405	3M™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter	3M [™] Acid Gas/High Efficiency Cartridge GVP-442
Packaging	6 per case	6 per case	8 per case	6 per case
	GVP-443	GVP-444	GVP-445	GVP-CB
Description	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This PAPR is designed to provide maximum comfort. It offers high airflow to the worker and the comfort belt is adjustable to fit waists from 26 inches to 54 inches.
Description Part Number	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head-	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head-	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head-	maximum comfort. It offers high airflow to the worker and the com- fort belt is adjustable to fit waists
,	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear.	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear.	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear.	maximum comfort. It offers high airflow to the worker and the com- fort belt is adjustable to fit waists from 26 inches to 54 inches.
Part Number	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-443	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-444	3M TM Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-445	maximum comfort. It offers high airflow to the worker and the comfort belt is adjustable to fit waists from 26 inches to 54 inches.
Part Number UPC	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-443 5-00-51138-29222-0 3M™ Powered Air Purifying Respirator (PAPR) Organic Vapor/Acid Gas/High Efficiency	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-444 5-00-51138-29352-4	3M TM Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-445 5-00-51138-29353-1	maximum comfort. It offers high airflow to the worker and the comfort belt is adjustable to fit waists from 26 inches to 54 inches. GVP-CB 0-00-51131-52772-0 3MTM Belt-Mounted Powered Air Purifying Respirator (PAPR)

	L-156	L-181	L-503	L-505
Description	This lens and adapter is used on the 3M™ L-Series Welding Headgear.	This adapter determines airflow for the 3M [™] Headgear L-Series and the GVP Series Powered Air Purifying Respirator (PAPR)s.	This bumpcap is used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is available with an autodarkening lens and other options to enhance productivity and safety. It provides bumpcap protection.	This bumpcap is used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is available with an autodarkening lens for productivity and safety. It provides bumpcap protection.
Part Number	L-156	L-181	L-503	L-505
UPC	0-00-51138-66144-1	0-00-51138-72792-5	0-00-51138-66148-9	0-00-51138-66149-6
Product Name	3M [™] Electronic Lens and Adapter L-156	3M [™] Flow Meter Adapter L-181	3M™ Bumpcap L-503	3M™ Bumpcap L-505
Packaging	1 per case	1 per case	1 per 2000	1 per 2000
i donaging	i pei case	i pei case	1 per case	1 per case
i aonaging	L-701	L-703	L-705	L-905
, wordyng	·	·	·	·
Description	·	·	·	·
	L-701 This hardhat is used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It can be used in applications where ANSI Type I, II hardhat protection is needed. It has an assigned protection factor of 25 x	L-703 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is designed for welding operations which must have industrial protective headgear. It has an assigned protection factor	L-705 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. Meets ANSI Type I, Il requirements for industrial protective headgear. It has an assigned protection factor of 25 x	L-905 This helmet can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type1, II hardhat requirements. It has shroud options and provides protection up
Description	L-701 This hardhat is used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It can be used in applications where ANSI Type I, II hardhat protection is needed. It has an assigned protection factor of 25 x PEL.	This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is designed for welding operations which must have industrial protective headgear. It has an assigned protection factor of 25 x PEL.	L-705 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. Meets ANSI Type I, Il requirements for industrial protective headgear. It has an assigned protection factor of 25 x PEL.	L-905 This helmet can be used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type1, II hardhat requirements. It has shroud options and provides protection up to 1000 x PEL.
Description Part Number	L-701 This hardhat is used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It can be used in applications where ANSI Type I, II hardhat protection is needed. It has an assigned protection factor of 25 x PEL. L-701	L-703 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is designed for welding operations which must have industrial protective headgear. It has an assigned protection factor of 25 x PEL. L-703	L-705 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. Meets ANSI Type I, Il requirements for industrial protective headgear. It has an assigned protection factor of 25 x PEL. L-705	L-905 This helmet can be used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type1, II hardhat requirements. It has shroud options and provides protection up to 1000 x PEL. L-905

	W281110	W3012	W30134	W3018
Description	The filter assembly reduces the amount of particles that may be present in the compressed air system, including water and oil mist. The treated carbon in the filter material helps to lower nuisance level odors.	Used where the concentration of liquid aerosols in compressed air are greater than what can be filtered by the 3M [™] Compressed Air Filter and Regulating Panel W-2806 alone.	Replacement filter for the 3M [™] Coalescing Filter Assembly W- 3012/37008(AAD).	Used to regulate the flow of compressed air to the 3M™ Hoods H-Series and Whitecap™ Helmets operated in low pressure using the 3M™ Supplied Air Hose W-3020. It can operate on pressures of 4-15 psig with and airflow of 6-15 cfm.
Part Number	W281110	W3012	W30134	W3018
UPC	5-00-51131-07007-8	0-00-51131-07008-0	5-00-51131-07009-2	0-00-51131-07032-5
Product Name	3M [™] Filter Cartridge W-2811-10	3M [™] Coalescing Filter W-3012	3M™ High Efficiency Filter Element W-3013	3M™ Connector Assembly W-3018
Packaging	10 per case	1 per case	4 per case	1 per case
	W3020100	W302050	W943550	
Description	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	This hose is 50 feet long and has a 3/8 inch inner diameter. It's equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings. You may not combine 25 or 50 foot lengths of the 3M TM Supplied Air Hose W-9435.	
Part Number	W3020100	W302050	W943550	
UPC	0-00-51131-07035-6	0-00-51131-07034-9	0-00-51131-07011-0	
Product Name	3M [™] Supplied Air Hose W-3020- 100	3M [™] Supplied Air Hose W-3020- 50	3M™ Supplied Air Respirator Hose	
Packaging	1 per case	1 per case	1 per case	

3M™ Automotive Fresh Air System Parts

	07036	07038	07039	07041
	0			
Description	This clamp is used to secure the breathing tube on the 3M [™] Hardcap Assembly.	For use as a replacement hood suspension in the 3M [™] Automotive Fresh Air Hood Assembly 07030.	When used with the 3M [™] Head Suspension W-2878, the 3M [™] Hatshell W-3258 meets the require- ments of ANSI standard Z89.1- 2003, Type 1, Class E head protec- tion.	Designed to be used with 3M [™] H- Series Hoods, Whitecap [™] Helmets and Hardcap Assemblies.
Part Number	07036	07038	07039	07041
UPC	5-00-51131-07036-8	0-00-51131-07038-7	5-00-51131-07039-9	5-00-51131-07041-2
Product Name	3M [™] Squeeze Clamp W-3222-2	3M™ Cap Suspension	3M™ Hatshell W-3258-5	3M™ Head Suspension W-2878-2
Packaging	2 per case	1 per case	5 per case	2 per case
	07042	07043	07045	07147
Description	This cover helps keep the lens on the 3M™ H-Series Hoods clean. When vision becomes obstructed, the cover can be peeled off leaving a clean shield.	This cover helps keep the lens on the 3M™ H-Series Hoods clean. When vision becomes obstructed, the cover can be peeled off leaving a clean shield.	Used with the 3M™ W-Series and V-Series Air Control Valves.	Used with the 3M [™] Dual Airline Front-Mounted Adapter Kit SA- 1000LP, Low Pressure.
Part Number	07042	07043	07045	07147
UPC	5-00-51131-07042-9	5-00-51131-07043-6	0-00-51131-07045-5	0-00-51131-07147-6
Product Name	3M™ Faceshield Cover H-110-10	3M [™] Faceshield Cover H-111-100	3M™ Versaflo™ Waist Belt W- 2963	3M [™] Dual Airline Front-Mounted Breathing Tube SA-1500
Packaging	10 per case	100 per case	1 per case	1 per case
	07148	07152	07155	07156
		3		
Description	This tube is part of the 3M [™] Back- Mounted Adapter Kit SA-2000LP (low pressure).	This belt is supplied as part of the 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly GVP-1. It is designed to hold the motor blower unit and battery pack in place.	Used on the 3M [™] Supplied Air Hose W-3020. It has a 3/8 inch FPT fitting.	This plug is a low pressure, 3/8 inch FPT twist lock steel and brass fitting. It may be used on the 3M [™] Supplied Air Hose W-3020.
Part Number	07148	07152	07155	07156
UPC	0-00-51131-07148-3	0-00-51131-07152-0	5-00-51131-07155-6	5-00-51131-07156-3
Product Name	3M [™] Dual Airline Back-Mounted Breathing Tube SA-2500	3M™ Waist Belt GVP-127	3M™ Plug W-3057-2	3M™ Plug W-3198-2
Packaging	1 per case	1 per case	2 per case	2 per case

	07157	07158	37001	37009
Description	This twist lock socket is a low pressure steel and brass fitting. It is used on the 3M™ Supplied Air Hose W-3020.	This socket is used on the 3M [™] Supplied Air Hose W-3020, Low Pressure. It is a 3/8 inch FPT brass fitting.	Used on both the high and low pressure back-mounted combination kits.	Designed for use with 3M™ L- Series Headgear. The complete assembly includes the chin strap L- 112 (optional), sweat pad L-115- 10/37010(AAD), head pad L-116, hanger suspension L-117 and headband.
Part Number	07157	07158	37001	37009
UPC	5-00-51131-07157-0	5-00-51131-07158-7	0-00-51131-37001-2	5-00-51131-37009-3
Product Name	3M [™] Socket W-3199-2	3M [™] Socket W-3224-2	3M™ Combination Dual Airline Back-Mounted Breathing Tube SA- 2600	3M [™] Head Suspension L-113-2
Packaging	2 per case	2 per case	1 per case	2 per case
	37010	37011	37012	37013
	The M-957 / L-115 Comfort Pad			
Description	can be used on any 3M [™] Versaflo [™] M-Series Headgear, 3M [™] L-Series Headgear, H-Series Hood, and Whitecap [™] Helmets. It attaches to the headband in the area of the users forehead.	Used on 3M™ Bumpcap L- 501/37008(AAD). This faceseal material is designed for applica- tions such as spray painting. It attaches to the extender on the wide view faceshield.	Used with the 3M™ Headgear L-Series. It is attached to the opening on the headgear. The lower end of the breathing tube is attached to the air control device.	Used on the 3M™ Headgear L- Series. This lens is part of the 3M™ Wide-view Faceshield Assembly L-130. It can easily be removed and replaced with a new lens when damaged.
Part Number	37010	37011	37012	37013
UPC	5-00-51131-37010-9	5-00-51131-37011-6	0-00-51131-37012-8	5-00-51131-37013-0
Product Name	3M [™] Versaflo [™] Forehead Comfort Pad/Sweat Pad M-957/L-115	3M™ Faceseal	3M™ Breathing Tube	3M™ Wide-view Lens
Packaging	10 per case	5 per case	1 per case	10 per case
	37014	37015	37016	37017
			The second	Sep.
Description	Used with the 3M [™] Wide View Lens. The cover fits over the lens and protects it from scratching or overspray of paint and chemicals. Up to five covers can be attached, one on top of the other.	Used with the 3M™ Wide View Lens. The cover fits over the lens and protects it from scratching or overspray of paint and chemicals. Up to five covers can be attached, one on top of the other.	Used on 3M TM Wide View Faceshield L-130. The kit includes the knob and the pivot post on which the faceshield pivots when raised, lowered and repositioned.	Can be used with any 3M™ Headgear L-Series. It protects against the buildup of particles on the outside surface of the headgear shell. This is a disposable item and should be discarded when dam- aged or soiled.
Part Number	37014	37015	37016	37017
UPC	5-00-51131-37014-7	5-00-51131-37015-4	0-00-51131-37016-6	0-00-51131-37017-3
Product Name	3M [™] Lens Cover L-133-25	3M™ Lens Cover L-133-100	3M™ Knob and Pivot Kit L-141	3M™ Head Gear Cover L-183
Packaging	25 per case	100 per case	1 per case	1 per case

	66124	66254	66375	GVP-101
			1	
Description	Used with the 3M [™] L-Series Headgear. It is a general purpose faceshield which should not, by itself, be used for welding applications. It attaches to the headgear using a positioning cam mechanism.	Attaches to the 3M™ Wide-view Faceshield Assembly L-130. The 3M™ Faceseal L-121 attaches to the extender for spray painting or where there is general particulate exposure.	Used on 3M [™] Headgear L-Series. The head pad is part of the 3M [™] Head Suspension and is attached to the hanger suspension. The pad adds to user comfort.	Provides the seal that allows the motor blower to provide proper air flow to the user. It includes five inlet and five outlet.
Part Number	66124	66254	66375	GVP-101
UPC	0-00-51138-66124-3	0-00-51138-66254-7	5-00-51138-66375-4	0-00-51138-29261-4
Product Name	3M [™] Wide-view Faceshield Assembly L-130	3M [™] Wide-view Faceshield Assembly L-137	3M™ Head Pad L-116-2	3M [™] Motor Blower Gasket GVP- 101
Packaging	1 per case	1 per case	2 per case	10 per case
	GVP-116	GVP-117	L-114-2	L-117-2
Description	This plug is a replacement part for 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Systems.	This vinyl belt is an optional component of 3M [™] GVP Systems.	Used with 3MTM Headgear L-700 and L-900 Series. It complies with ANSI requirements for impact and penetration protection. The chin strap helps hold the headgear in place on the user.	Used on 3M™ Headgear L-Series. It holds the head pad securely and is attached to the headband which is part of the 3M™ Head Suspension Assembly L-113.
Part Number	GVP-116	GVP-117	L-114-2	L-117-2
UPC	5-00-51138-29213-8	0-00-51138-29223-2	5-00-51138-66380-8	5-00-51138-66376-1
Product Name	3M™ Filter Plug GVP-116	3M™ Waist Belt GVP-117	3M™ Chin Strap L-114-2	3M [™] Hanger Suspension L-117-2
Packaging	10 per case	1 per case	2 per case	2 per case
	L-120-5	L-123-2	L-124-5	L-125-2
Description	Used on 3M [™] Headgear L-500 and L-700 Series. This item is used in applications with high temperatures or when sparks or molten metal may be present.	Used with the 3M [™] Headgear L- 900 Series. This shroud is not intended for welding applications or where high heat or sparks are expected. It drapes over the worker for safety purposes.	Used with 3M™ Headgear L-500 and L-700 Series. This faceseal material is designed for applica- tions with high temperature or where sparks or molten metal may be present.	Used with the 3M™ Headgear L- 900 Series. This shroud is designed for welding applications or where high heat or sparks are expected. It drapes over the worker for safety purposes.
Part Number	L-120-5	L-123-2	L-124-5	L-125-2
UPC	5-00-51138-66377-8	5-00-51138-66234-4	5-00-51138-66118-7	5-00-51138-66119-4
Product Name	3M™ Faceseal L-120-5	3M™ Shroud L-123-2 QC	3M™ Faceseal L-124-5	3M [™] Flame Retardant Welding Shroud L-125-2
Packaging	5 per case	2 per case	5 per case	2 per case

Sivi · ··· Auton	nouve Fresh Air Syster	II Parts (Continueu)		
	L-126-2	L-127	L-128-2	L-129-2
Description	Used with the 3M [™] Headgear L- 900 Series. It is zipped onto the inner part of the 3M [™] Leather Welding Shroud L-127. It can be zipped out for washing.	Used with the 3M [™] Headgear L- 900 Series. This heavy duty shroud is intended for use in welding appli- cations or where high heat or sparks are expected. It drapes over the worker for safety purposes.	Used with the 3M [™] Headgear L- 900 Series. This shroud may be used in place of the 3M [™] Shroud L-123-2. It drapes over the worker for safety purpos-es.	Used with the 3M [™] Headgear L- Series (except the L-900 Series Headgear). It is attached to the headgear by two matching 3M [™] Scotchmate [™] Hook-and-Loop Fasteners and drapes over the worker for safety purposes.
Part Number	L-126-2	L-127	L-128-2	L-129-2
UPC	5-00-51138-66120-0	0-00-51138-66121-2	5-00-51138-66122-4	5-00-51138-66123-1
Product Name	3M™ Inner Shroud L-126-2	3M™ Welding Shroud L-127	3M™ Shroud L-128-2	3M [™] Welding Bib L-129-2
Packaging	2 per case	1 per case	2 per case	2 per case
	L-132-10	L-134-10	L-136	L-140-10
			~ 13 m	
Description	Used on the 3M TM Headgear L- Series. This lens is part of the 3M TM Wide-view Faceshield Assembly L-130. It can easily be removed and replaced with a new lens when damaged.	Used to hold the 3M™ Wide View Lens L-131 and L-132 in place in the 3M™ Wide View Faceshield Assembly L-130. The latch kit makes it easy to remove and replace the wide view lens.	Used on the 3M™ Headgear L- Series. The kit is used to attach 3M™ Faceshield Assemblies L- 130, L-150, L-151, L-153, L-154, L-184 and L-185 to the headgear. This cam allows the faceshield to be positioned as desired.	Used on the 3M™ Wide View Faceshield L-130. The faceshield attaches to the headgear using the postioning cam mechanism that is secured by the knob to each side of the headgear.
Part Number	L-132-10	L-134-10	L-136	L-140-10
UPC	5-00-51138-66126-2	5-00-51138-66235-1	0-00-51138-66129-8	5-00-51138-66130-9
Product Name	3M™ Wide-view Lens L-132-10	3M [™] Latch Kit L-134-10	3M™ Cam Spring Kit L-136	3M™ Knob L-140-10
Packaging	10 per case	10 per case	1 per case	10 per case
	L-142-2	L-145-10	L-146	L-147-2
Description	This gasket, 4 1/2 inches x 5 1/4 inches, is a component of the welding lens stack. It fits into the lens frame and the other parts of the stack fit over the gasket.	Used on the 3M [™] Welding Shields L-150 and L-151 and also in the 3M [™] Combination Faceshields L- 153, L-154, L-184 and L-185. This knob secures the cam mechanism which is attached to the headgear.	Used on the 3M™ Welding Faceshield and Combination Faceshield. The kit includes the 3M™ Welding Knob L-145 and the pivot post on which the faceshield pivots when raised, lowered and repositioned.	Used to hold all components of the lens stack securely in place. The retainer pivots at one end and can be lifted to replace parts. When closed it fits into slots on the lens frame.
Part Number	L-142-2	L-145-10	L-146	L-147-2
UPC	5-00-51138-66132-3	5-00-51138-66135-4	0-00-51138-66136-6	5-00-51138-66137-8
Product Name	3M™ Welding Gasket L-142-2	3M™ Welding Knob L-145-10	3M [™] Welding Knob and Pivot Kit L- 146	3M [™] Welding Lens Retainer Clip L- 147-2
Packaging	2 per case	10 per case	1 per case	2 per case

		,		
	L-149-10	L-150	L-152-5	L-153
Description	This gasket, 4 1/2 inches x 5 1/4 inches is part of the welding lens stack. It is placed between the cover plate and the glass shade lens to prevent glass breakage due to heat buildup. The gasket is not used with the electronic lens.	This shield, 4-1/2 inches x 5-1/4 inches, is designed for use with the 3M™ Bumpcap L-503 and Hardhat L-703. It attaches to the headgear with a positioning cam that is secured by a spring-loaded knob on each side of the headgear.	This cover plate, 4-1/2 inches x 5- 1/4 inches, is part of the lens stack. It is placed between the lens gasket and the film gasket on the welding lens stack. On the electronic lens stack, it is placed between the lens gasket and the lens.	This welding shield, 4 1/2 inches x 5 1/4 inches, is designed for use with the 3M™ Bumpcap L-505, Hardhat L-705 and Helmet L-905. It attaches to the headgear with a positioning cam that is secured by a springloaded knob on each side of the headgear.
Part Number	L-149-10	L-150	L-152-5	L-153
UPC	5-00-51138-66258-0	0-00-51138-66138-0	5-00-51131-37157-1	0-00-51138-66141-0
Product Name	3M™ Fiber Gasket L-149-10	3M™ Welding Shield L-150	3M™ Cover Plate L-152-5	3M™ Welding Shield L-153
Packaging	10 per case	1 per case	5 per case	1 per case
	L-162-2	L-163	L-165	L-182
			1)	
Description	This safety plate, 4-1/2 inches x 5-1/4 inches, is used in the welding lens stacks that use shade glass. It is placed on the outside nearest the wire clip that securely holds all parts of the stack in place. The plate is ANSI approved.	Used on the 3M [™] L-Series Headgear L-700 and L-900. It is installed into the headgear shell before the head suspension is installed. With this foam liner, the headgear is ANSI Class I, II approved for top and side impact.	Used on the 3M™ L-Series Bumpcap L-500. It is used to help prevent leaks around the headgear. The seals are installed into the bot- tom edge of the headgear and should not be removed unless they need to be replaced.	This air deflector is an option for use on any 3MTM Headgear L-Series. In the standard configuration, the airflow is toward the inside of the faceshield lens. With the air deflector, the airflow is redirected towards the face of the user.
Part Number	L-162-2	L-163	L-165	L-182
UPC	5-00-51131-37159-5	0-00-51138-66145-8	0-00-51138-66146-5	0-00-51138-66379-7
Product Name	3M™ Safety Plate L-162-2	3M™ Foam Liner L-163	3M™ Head Seal Kit L-165	3M™ Air Deflector L-182
Packaging	2 per case	1 per case	1 per case	1 per case
	L-191-2	L-550	L-750	
Description	This helmet latch is an accessory to the 3M™ Helmet L-901 and L-905. It is used to latch the wide view lens down to the helmet to prevent lifting.	Replacement part for the 3M [™] Bumpcap L-500 Series. This shell is designed to be lightweight and offers no head protection against falling or moving objects.	Replacement part for the 3M [™] Hardhat L-700 Series. The shell meets ANSI requirements for industrial protective headgear. The shell is intended to be used in applications in which some head protection is required.	
Part Number	L-191-2	L-550	L-750	
UPC	5-00-51138-76945-6	0-00-51138-66150-2	0-00-51138-66154-0	
Product Name	3M™ Helmet Latch L-191-2	3M™ Bumpcap Shell L-550	3M™ Hardhat Shell L-750	
Packaging	2 per case	1 per case	1 per case	

$3M^{\text{TM}}$ Automotive Respirators: $3M^{\text{TM}}$ Automotive Undercoating and Rustproofing Respirator

3M[™] Automotive Undercoating and Rustproofing Respirators

	03286	07183	07186
Description	Designed to provide personal protection against nuisance level organic vapor relief for the work- er. 2 respirators per clam shell, 10 clam shells per case, 20 respirators per case.	3M recommended for use in brake and clutch repair where asbestos exposures may be found.	Filtering facepiece style respirator designed to help provide reliable worker protection against certain oil and non-oil based particles.
Part Number	03286	07183	07186
UPC	5-00-51131-03286-1	0-00-51131-07183-4	0-00-51131-07186-5
Product Name	3M™ Particulate Respirator R95	3M™ Half Facepiece Respirator Packout	3M™ Particulate Respirator R95
Packaging	20 per case	20 per case	20 per box 6 boxes per case

3M[™] Automotive Undercoating and Rustproofing Replacement Filters

	07184
Description	P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles. 3M recommended for nuisance level organic vapor relief. Use with 3M™ Half and Full Facepieces according to NIOSH approvals.
Part Number	07184
UPC	5-00-51131-07184-6
Product Name	3M™ Particulate Filter 2097
Packaging	100 per case

3M™ Automotive Respirators: 3M™ Brake and Clutch Respirators

3M™ Brake and Clutch Respirators

	07024	07025	07026	07183
	505	TO S		
Description	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	3M recommended for use in brake and clutch repair where asbestos exposures may be found.
Part Number	07024	07025	07026	07183
UPC	5-00-51131-07024-5	5-00-51131-07025-2	5-00-51131-07026-9	0-00-51131-07183-4
Product Name	3M [™] Half Facepiece Reusable Respirator 6100 Small	3M [™] Half Facepiece Reusable Respirator 6200 Medium	3M [™] Half Facepiece Reusable Respirator 6300 Large	3M [™] Half Facepiece Respirator Packout
Packaging	24 per case	24 per case	24 per case	20 per case

3M™ Brake and Clutch Respirator Replacement Filters

	07184
Description	P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles. 3M recommended for nuisance level organic vapor relief. Use with 3M™ Half and Full Facepieces according to NIOSH approvals.
Part Number	07184
UPC	5-00-51131-07184-6
Product Name	3M™ Particulate Filter 2097
Packaging	100 per case

3M[™] Automotive Welding Respirators

	07001	07002	07003	07182
Description	The 3M™ 6291 Half Facepiece Respirator Assembly includes the 3M™ Half Facepiece Respirator 6200 and 3M™ P100 Particulate Filters 2091. Helps provide respira- tory protection in environments containing certain oil and non-oil based particles.	NIOSH approved for environments containing certain oil and non-oil based particles.	NIOSH approved for environments containing certain oil and non-oil based particles.	3M recommended for use in brake and clutch repair where asbestos exposures may be found.
Part Number	07001	07002	07003	07182
UPC	5-00-51131-07002-3	5-00-51131-07003-0	5-00-51131-07001-6	0-00-51131-07182-7
Product Name	3M [™] Half Facepiece Respirator Assembly 6291 Medium	3M [™] Half Facepiece Respirator Assembly 6391 Large	3M [™] Half Facepiece Reusable Respirator Assembly 6191	3M [™] Half Facepiece Respirator Packout Medium
Packaging	24 per case	24 per case	24 per case	20 per case
	07183	07187	07189	
Description	3M recommended for use in brake and clutch repair where asbestos exposures may be found.	Provides a minimum filter efficiency of 95% against non-oil based particles. This product's features provide comfortable and durable respiratory protection.	Is designed to help provide com- fortable, reliable worker protection for applications such as welding, soldering, cutting, grinding, and sanding.	
Part Number	07183	07187	07189	
UPC	0-00-51131-07183-4	0-00-51131-07187-2	5-00-51131-07189-1	
Product Name	3M [™] Half Facepiece Respirator Packout Large	3M™ Particulate Respirator N95	3M [™] Particulate Welding Respirator N95	
Packaging	20 per case	10 per box 8 boxes per case	80 per case	

3M[™] Speedglas[™] FlexView with 3M[™] Adflo[™] Powered Air Purifying Respirator

	37124	37125	37126	37127
	EEMANAHARA			
Description	Replacement sweatband in plastic for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Replacement sweatband in leather for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Headcover with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, AP, APC and XL. Made from FR cotton.	Throat protector with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop, AP, APC, and XL. Made from FR cotton.
Part Number	37124	37125	37126	37127
UPC	0-00-51131-37124-8	0-00-51131-37125-5	0-00-51131-37126-2	0-00-51131-37127-9
Product Name	3M [™] Speedglas [™] Sweatband 02- 0024-00	3M [™] Speedglas [™] Replacement Sweatband 02-0024-01	3M [™] Speedglas [™] Headcover 02- 0645-00	3M [™] Speedglas [™] Throat Protector 02-0690-00
Packaging	1 per case	1 per case	1 per case	1 per case

3M[™] Speedglas[™] FlexView with 3M[™] Adflo[™] Powered Air Purifying Respirator (continued)

	agias Tickview with		Tou Air Turnying 1103	,
	37129	37137	37140	37141
Description	Replacement "S" stop (right side) for helmet/headband for 3M™ Speedglas™ Helmets Utility, 9000 Series and FlexView.	Replacement batteries for 3M TM Speedglas TM Filters Utility and 9000 Series. Batteries are type CR2032.	Replacement headband, complete with mounting hardware. For use with 3M™ Speedglas™Helmets Utility and 9000 Series.	Replacement mounting hardware for headband for 3M™ Speedglas™ Helmets Utility and 9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.
Part Number	37129	37137	37140	37141
UPC	5-00-51131-37129-8	5-00-51131-37137-3	0-00-51131-37140-8	0-00-51131-37141-5
Product Name	3M [™] Speedglas [™] Pivot (S) Stop 04-0026-00	3M [™] Speedglas [™] Welding Helmet Battery	3M [™] Speedglas [™] Welding Helmet Headband and Mounting Hardware	3M [™] Speedglas [™] Headband Mounting Hardware 9000
Packaging	10 per case	1 per case	1 per case	1 per case
	37142	37143	37144	37146
				CAMP :
Description	Replacement spark arrestor for 3M TM Adflo TM Powered Air Purifying Respirator (PAPR). Installs into Adflo turbo filter cover.	Replacement rubber breathing tube assembly for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Connects helmet assembly to turbo unit.	Replacement particulate prefilter for 3M TM Adflo TM Powered Air Purifying Respirator (PAPR). Installs into the Adflo turbo filter cover, between the spark arrestor and the High Efficiency particulate filter.	Replacement battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Environmentally- friendly NiMH battery charges in less than 3 hours. Battery can be removed or installed in turbo unit during charging.
Part Number	37142	37143	37144	37146
UPC	5-00-51131-37142-7	0-00-51131-37143-9	5-00-51131-37144-1	0-00-51131-37146-0
Product Name	3M [™] Adflo [™] Spark Arrestor 15- 0009-99X02	3M [™] Adflo [™] Breathing Tube Assembly 15-0099-10	3M [™] Adflo [™] Prefilter 15-0099- 99X06	3M [™] Adflo [™] Powered Air Purifyin Respirator (PAPR) Battery
Packaging	2 per case	1 per case	6 per case	1 per case
	37147	37148		
Description	Replacement kit includes 2 high efficiency particulate filters, 6 prefilters and 2 spark arrestors. For 3M™ Adflo™ Powered Air Purifying Respirator (PAPR).	Throat and side protectors made in leather for helmets for 3M [™] Speedglas [™] Fresh-air (FA) PA & SA (APC style helmet).		
Part Number	37147	37148		
UPC	0-00-51131-37147-7	0-00-51131-37148-4		
Product Name	3M [™] Adflo [™] High Efficiency Starter Kit 15-1101-99	3M™ Speedglas™ Welding Helmet Throat and Side Protector		
Packaging	1 per case	1 per case		

3M[™] Automotive Welding Respirator Replacement Filters

	07000	07184	29113	37173
	200 P	The state of the s		Front Pr
Description	This NIOSH-approved P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles when combined with 3M TM Half and Full Facepiece Respirators according to NIOSH approvals.	P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles. 3M recommended for nuisance level organic vapor relief. Use with 3M [™] Half and Full Facepieces according to NIOSH approvals.	Replacement part for 3M [™] Full Facepieces 7800S. Use to attach 3M [™] Filters 2000 Series, 3M [™] Filter 7093, 3M [™] Cartridges 6000 Series or 3M [™] Dual Airline Systems.	This cartridge/ filter is NIOSH approved and provides the highest level of protection against oil and non-oil based particles. Use with 3M™ Half and Full Facepiece Respirators 6000 Series, Half Facepiece Respirator 7500 Series and Full Facepiece Respirator 7800 Series with bayonet filter holders.
Part Number	07000	07184	29113	37173
UPC	5-00-51131-07000-9	5-00-51131-07184-6	5-00-51138-29113-1	5-00-51131-37173-1
Product Name	3M™ Particulate Filter 2091	3M [™] Particulate Filter 2097	3M™ Cartridge/Filter Adapter 701	3M™ Cartridge/Filter 7093C
Packaging	100 per case	100 per case	20 per case	60 per case
	46465	46467	54187	
	NIOSH approved against certain	NIOSH approved against certain	NIOSH approved against certain	
Description	NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	
Description Part Number	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style car-	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style car-	
·	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	
Part Number	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 46465	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 46467	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 54187	

3M[™] Speedglas[™] Welding Filters and Replacement Parts

	37122	37124	37125	37126
		REMUMBINED B		
Description	Extra large 4.09 in x 2.13 in (104 mm x 54 mm) viewing area. Handles variety of arc welding processes, including low amp TIG. Helmet has four exhaust vents for reduced stuffiness. Shade 5 SideWindows increase peripheral view.	Replacement sweatband in plastic for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Replacement sweatband in leather for 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop and ClearView.	Headcover with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, AP, APC and XL. Made from FR cotton.
Part Number	37122	37124	37125	37126
UPC	0-00-51131-37122-4	0-00-51131-37124-8	0-00-51131-37125-5	0-00-51131-37126-2
Product Name	3M [™] Speedglas [™] Welding Helmet 9000 with SideWindows and Auto- Darkening Filter 9002X	3M [™] Speedglas [™] Sweatband 02- 0024-00	3M [™] Speedglas [™] Replacement Sweatband 02-0024-01	3M [™] Speedglas [™] Headcover 02- 0645-00
Packaging	1 per case	1 per case	1 per case	1 per case
	37127	37129	37130	37131
	Throat protector with Velcro®			
Description	Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop, AP, APC, and XL. Made from FR cotton.	Replacement "S" stop (right side) for helmet/headband for 3M TM Speedglas TM Helmets Utility, 9000 Series and FlexView.	Replacement "S" stop (left side) for helmet/headband for 3M™ Speedglas™ FlexView System.	Replacement helmet silver front panel for 3M™ Speedglas™ Helmets Utility, 9000 Series, ProTop System and 9000HWR assembly.
Part Number	37127	37129	37130	37131
UPC	0-00-51131-37127-9	5-00-51131-37129-8	5-00-51131-37130-4	0-00-51131-37131-6
Product Name	3M [™] Speedglas [™] Throat Protector 02-0690-00	3M [™] Speedglas [™] Pivot (S) Stop 04-0026-00	3M [™] Speedglas [™] FlexView Headband 04-0126-00/37130(AAD)	3M™ Speedglas™ Silver Front Panel
Packaging	1 per case	10 per case	10 per case	1 per case
	37132	37133	37134	37135
Description	Replacement protection plate for 3M TM FlexView Systems. Clear polycarbonate.	Replacement outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Scratch resistant outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Replacement inside protection plates for 3M™ Speedglas™ Filters 9002X and 9000X/XF/Xi.
Part Number	37132	37133	37134	37135
UPC	5-00-51131-37132-8	5-00-51131-37133-5	5-00-51131-37134-2	5-00-51131-37135-9
Product Name	3M [™] Speedglas [™] FlexView Welding Helmet Protection Plate	3M [™] Speedglas [™] Outside Protection Plate 9000	3M [™] Speedglas [™] Outside Protection Plate	3M [™] Speedglas [™] Welding Helmet Inside Protection Plate
Packaging	10 per case	10 per case	5 per case	5 per case

3M[™] Speedglas[™] Welding Filters and Replacement Parts (continued)

	37136	37137	37138	37139
Description	Replacement inside protection plates for 3M™ Speedglas™ Filters Utility and 9000V/F.	Replacement batteries for 3M [™] Speedglas [™] Filters Utility and 9000 Series. Batteries are type CR2032.	Replacement accessory kit includes 10 outside protection plates, 5 Inside protection plates and 2 bat- teries. For 3M™ Speedglas™ Filters 9002X and 9000X/XF/Xi.	Replacement accessory kit includes 10 outside protection plates, 5 Inside protection plates and 2 bat- teries. For 3M™ Speedglas™ Filters 9000V/F.
Part Number	37136	37137	37138	37139
UPC	5-00-51131-37136-6	5-00-51131-37137-3	0-00-51131-37138-5	0-00-51131-37139-2
Product Name	3M [™] Speedglas [™] Welding Helmet Inside Protection Plate	3M [™] Speedglas [™] Welding Helmet Battery	3M [™] Speedglas [™] Accessory Kit 9000 X/XF	3M [™] Speedglas [™] Accessory Kit 9000V/F
Packaging	5 per case	1 per case	1 per case	1 per case
	37140	37141	37149	37165
Description	Replacement headband, complete with mounting hardware. For use with 3M [™] Speedglas [™] Helmets Utility and 9000 Series.	Replacement mounting hardware for headband for 3M [™] Speedglas [™] Helmets Utility and 9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.	9000 Series welding helmet with headband. Helmet has four exhaust vents for reduced stuffiness. Two shade 5 side filters increase peripheral viewing area by 100%. No auto-darkening filter. Accepts all 3M™ Speedglas™ Filters Utility and 9000 Series.	To be used with the 3M™ Welding Auto-Darkening Filter WS- 020/37156(AAD) and the 3M™ Welding Shield with Auto-Darkening Filter WS-320/37154(AAD). Replacement part for WS-Series welding helmets.
Part Number	37140	37141	37149	37165
UPC	0-00-51131-37140-8	0-00-51131-37141-5	0-00-51131-37149-1	5-00-51131-37165-6
Product Name	3M [™] Speedglas [™] Welding Helmet Headband and Mounting Hardware	3M™ Speedglas™ Headband Mounting Hardware 9000	3M [™] Speedglas [™] Helmet Hard Hat 9000 with SideWindows	3M [™] Auto-Darkening Welding Filter Inside Protection Plate WS- 363/37165(AAD) 5/Case
Packaging	1 per case	1 per case	1 per case	5 per case
	37172	98559		
Description	The Speedglas 9100X, dark shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch cutting modes. All new headgear makes this helmet extremely comfortable and versatile. Viewing area 9.12 sq in.	Scratch-resistant and silver-painted outside protection plate for 3M [™] Speedglas [™] Filter SL.		
Part Number	37172	98559		
UPC	0-00-51131-37172-9	5-00-51131-98559-4		
	3M [™] Speedglas [™] Welding Helmet	3M™Speedglas™ Outside		
Product Name Packaging	9100 with Auto Darkening Filter 9100X	Protection Plate SL 05-0250-01		

3M[™] Speedglas[™] 100 Full Helmet Assemblies

	37191	37230	37231	37232
Description	The Speedglas 9100XX, dark shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch cutting modes. All new headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100S-10, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factoryset dark shade 10 and viewing area of 6.05 sq.in. Light state shade 3.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100S-11, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factoryset dark shade 11 and viewing area of 6.05 sq.in. Light state shade 3.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.
Part Number	37191	37230	37231	37232
UPC	0-00-51131-37191-0	0-00-51131-37230-6	0-00-51131-37231-3	0-00-51131-37232-0
Product Name	3M™ Speedglas™ Welding Helmet 9100 with Auto Darkening Filter 9100XX	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100S-10	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100S-11	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100V
Packaging	1 per case	1 per case	1 per case	1 per case
	37233	37234	37235	37236
Description	The Speedglas 100 blazed welding helmet with 100V auto-darkening filter delivers outstanding protection, comfort and performance for Stick, MIG and most TIG welding processes. Its distinct design and adjustable shade can help increase welding performance.	The Speedglas 100 Tribal Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Chrome Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Mechanical Skull Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.
Part Number	37233	37234	37235	37236
UPC	0-00-51131-37233-7	0-00-51131-37234-4	0-00-51131-37235-1	0-00-51131-37236-8
			3M™ Speedglas™ Chrome	3M™ Speedglas™ Mechanical
Product Name	3M [™] Speedglas [™] Blazed Welding Helmet 100 with Auto-Darkening Filter 100V	3M TM Speedglas TM Tribal Welding Helmet 100 with Auto-Darkening Filter 100V 07-0012-31TR	Welding Helmet 100 with Auto- Darkening Filter 100V 07-0012- 31CH	Skull Welding Helmet 100 with Auto- Darkening Filter 100V 07-0012- 31MS

3M[™] Speedglas[™] 100 Full Helmet Assemblies (continued)

	37237	37238	37239	89356
Description	The Speedglas 100 Aces High Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 American Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Trojan Warrior Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 9100X with sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 9.12 sq in.
Part Number	37237	37238	37239	89356
UPC	0-00-51131-37237-5	0-00-51131-37238-2	0-00-51131-37239-9	0-00-51135-89356-2
Product Name	3M [™] Speedglas [™] Aces High Welding Helmet 100 with Auto- Darkening Filter 100V	3M™ Speedglas™ American Pride Welding Helmet 100 with Auto- Darkening Filter 100V	3M TM Speedglas TM Trojan Warrior Welding Helmet 100 with Auto- Darkening Filter 100V 07-0012- 31TW	3M [™] Speedglas [™] Welding Helmet 9100 with Auto Darkening Filter 9100X
Packaging	1 per case	1 per case	1 per case	1 per case
	89387	92988	93271	98564
Description	The Speedglas 9100XX with sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in.	The 9002V ("V" for "Variable" dark shades) is a highly versatile autodarkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.	Complete helmet assembly (except for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied Air Respirator (SAR) 9000.	Be the featherweight champ with the 3M™ Speedglas™ SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity levels.
Description Part Number	sidewindows, shades 8-13, sensi- tivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versa-	shades) is a highly versatile auto- darkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents	for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied	the 3MTM SpeedglasTM SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity
·	sidewindows, shades 8-13, sensi- tivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versa- tile. Viewing area 12.11 sq in.	shades) is a highly versatile auto- darkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.	for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied Air Respirator (SAR) 9000.	the 3MTM SpeedglasTM SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity levels.
Part Number	sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in. 89387 0-00-51135-89387-6	shades) is a highly versatile auto- darkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.	for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied Air Respirator (SAR) 9000.	the 3MTM SpeedglasTM SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity levels.

3M[™] Speedglas[™] 100 Spare Parts and Accessories

	17157	17158	17159	17195
Description	The Speedglas 100 silver front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 black front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 chrome front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 magnifying lens holder is an accessory that allows users to be able to insert magnification plates into their Speedglas™ Welding Helmet 100 Series.
Part Number	17157	17158	17159	17195
UPC	0-00-51131-17157-2	0-00-51131-17158-9	0-00-51131-17159-6	5-00-51131-17195-9
Product Name	3M [™] Speedglas [™] Silver Front Frame 100	3M [™] Speedglas [™] Black Front Frame 100	3M [™] Speedglas [™] Chrome Front Frame 100	3M™ Speedglas™ Magnifying Lens Holder
Packaging	1 per case	1 per case	1 per case	2 per case
	17196	17232	37174	37175
Description	The Speedglas sweatband is designed to help absorb sweat and provide a comfortable interface for the headgear. To be used with welding helmets SL and 100 Series.	The Speedglas 100 black matte front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 9100 standard outside protection plate is designed to protect the filter from spark and spatter. Failure to use an outside protection plate with the filter voids the warranty if spark or spatter contaminates the glass.	The Speedglas 9100 sweatband is designed to help absorb sweat and provide a comfortable interface for the headgear.
Part Number	17196	17232	37174	37175
UPC	5-00-51131-17196-6	0-00-51131-17232-6	5-00-51131-37174-8	5-00-51131-37175-5
Product Name	3M [™] Speedglas [™] Sweatband Fleece 07-0024-02	3M [™] Speedglas [™] Black Matte Front Frame 100	3M [™] Speedglas [™] Welding Helmet Outside Protection Plate 9100	3M [™] Speedglas [™] Sweatband 9100
Packaging	2 per case	1 per case	10 per case	3 per case
	37176	37177	37178	37179
Description	The Speedglas 9100X inside protection plate is designed to protect the inside surface of the filter from spark and spatter. Failure to use an inside protection plate with the filter voids the warranty if spark or spatter cause damage to the glass.	The Speedglas 9100XX inside protection plate is designed to protect the inside surface of the filter from spark and spatter. Failure to use an inside protection plate with the filter voids the warranty if spark or spatter cause damage to the glass.	The Speedglas 9100 Silver Front Panel is a replaceable spare part for use if the original panel becomes damaged or contaminated from weld spark and spatter.	The Speedglas 9100 Headband is a replaceable part for use if the original headband becomes worn or damaged during use.
Part Number	37176	37177	37178	37179
UPC	5-00-51131-37176-2	5-00-51131-37177-9	0-00-51131-37178-1	0-00-51131-37179-8
Product Name	3M [™] Speedglas [™] Inside Protection Plate 9100X	3M [™] Speedglas [™] Inside Protection Plate 9100XX	3M [™] Speedglas [™] Silver Front Panel 9100	3M [™] Speedglas [™] Headband 9100 including Assembled Parts
Packaging	5 per case	5 per case	1 per case	1 per case

3M[™] Speedglas[™] 100 Spare Parts and Accessories (continued)

	37180	37188	37189	37190
	The Speedglas 9100 Pivot	The Speedglas 9100 Headband	The Speedglas 9100 Headband	
Description	Mechanism are replaceable spare parts for the headgear for use if the original pivots become worn or damaged during use.	Front Part is a replaceable spare part replacing only the front portion of the headband if the original parts become worn or damaged during use.	Back Part is a replaceable spare part replacing only the back portion of the headband if the original parts become worn or damaged during use.	The Speedglas 9100 Battery Holder is a replaceable spare part for use if the original battery holder becomes worn or damaged during use.
Part Number	37180	37188	37189	37190
UPC	0-00-51131-37180-4	0-00-51131-37188-0	0-00-51131-37189-7	5-00-51131-37190-8
Product Name	3M™ Speedglas™ Pivot Mechanism 9100 Headband for Left and Right Side	3M [™] Speedglas [™] Headband 9100 Front Part	3M [™] Speedglas [™] Headband 9100 Back Part/3M [™] Versaflo [™] Ratchet 06-0400-54/M-953	3M [™] Speedglas [™] Battery Holder 9100
Packaging	1 per case	1 per case	1 per case	2 per case
	37240	37241	37242	37243
Description	The Speedglas Auto-Darkening Filter 100S-10, is good for Stick, MIG and most TIG welding processes. It provides excellent optical clarity. Factory-set dark shade 10 and viewing area of 6.05 sq.in. Filter only. Fits 3M™ Speedglas™ Helmets 100 Series.	The Speedglas Auto-Darkening Filter 100S-11, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factory-set dark shade 11 and viewing area of 6.05 sq.in. Filter only. Fits 3M™ Speedglas™ Helmets 100 Series.	The Speedglas Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity, user selectable dark shades 8 through 12, and sensitivity adjust- ment. Viewing area of 6.05 sq.in.	The Speedglas 100 standard outside protection plate is designed to protect the filter from spark and spatter. Failure to use an outside protection plate with the filter voids the warranty if spark or spatter contaminates the glass. This option is standard.
Part Number	37240	37241	37242	37243
UPC	0-00-51131-37240-5	0-00-51131-37241-2	0-00-51131-37242-9	5-00-51131-37243-1
Product Name	3M [™] Speedglas [™] Auto-Darkening Filter 100S-10	3M [™] Speedglas [™] Auto-Darkening Filter 100S-11	3M [™] Speedglas [™] Auto-Darkening Filter 100V 07-0000-31	3M [™] Speedglas [™] Outside Protection Plate 100
Packaging	1 per case	1 per case	1 per case	10 per case
	37244	37245	89380	89381
Description	The Speedglas 100 scratch resist- ant outside protection plate is hard- coated and available for use in demanding environments to help resist scratching, abrasion and spark and spatter.	The Speedglas 100 high temperature outside protection plate is formulated from an engineered resin to resist higher heat applications. This is recommended for use in high amperage welding or conditions where long weld beads may generate radiant heat.	The 1.5X Magnifier is used for magnifying object 1.5X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.	The 2.0X Magnifier is used for magnifying object 2.0X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.
Part Number	37244	37245	89380	89381
UPC	5-00-51131-37244-8	5-00-51131-37245-5	0-00-51135-89380-7	0-00-51135-89381-4
Product Name	3M [™] Speedglas [™] Outside Protection Plate 100	3M [™] Speedglas [™] Outside Protection Plate 100	3M [™] Speedglas [™] Magnification Plate 1.5X	3M [™] Speedglas [™] Magnification Plate 2.0X
Packaging	10 per case	10 per case	1 per case	1 per case

3M[™] Automotive Welding Personal Protective Products: 3M[™] Speedglas[™] 100 Welding Shields and Spare Parts

3M[™] Speedglas[™] 100 Spare Parts and Accessories (continued)

	89382	93014	93033	93038
		Speeds		
Description	The 2.5X Magnifier is used for magnifying object 2.5X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.	MSA [™] hard hat with mounting hardware (adapter) for 3M [™] Speedglas [™] Helmets 9000 Series, AP, APC, and XL.	High temperature outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Inside protection plate with passive filter shade #1 for 3M TM Speedglas TM Filters Utility and 9000F.
Part Number	89382	93014	93033	93038
UPC	0-00-51135-89382-1	0-00-51131-93014-8	5-00-51131-93033-4	5-00-51131-93038-9
Product Name	3M [™] Speedglas [™] Magnification Plate 2.5X	3M [™] Speedglas [™] Hard Hat with Mounting Hardware 02-0023-00	3M [™] Speedglas [™] Welding Helmet Outside Protection Plate 9000	3M [™] Speedglas [™] Inside Protection Plate 9000F 04-0290-01
Packaging	1 per case	1 per case	5 per case	5 per case
	93039	93068	93219	98558
Description	Inside protection plate with passive filter shade #2 for 3M TM Speedglas TM Filters Utility and 9000F, shade 10 or 11 models only	Replacement outside protection plates for 3M™ Speedglas™ Filters AP, APC and APC-V.	Replacement welding hood with pivot mechanism for 3M TM Speedglas TM ProTop System (does not include hard hat or strap).	Replacement outside protection plate for 3M™ Speedglas™Filter SL
D	(total shade level must not exceed shade #13).	,	Accepts all 3M™ Speedglas™ Filters 9000 Series.	00550
Part Number	93039	93068	93219	98558
UPC Product Name	5-00-51131-93039-6 3M™ Speedglas™ Inside Protection Plate 9000F	5-00-51131-93068-6 3M™ Speedglas™ Outside Protection Plate	0-00-51131-93219-7 3M™ Speedglas™ ProTop Welding Hood with Pivot Mechanism 04- 0025-00	5-00-51131-98558-7 3M™ Speedglas™ Outside Protection Plate SL 05-0250-00
Packaging	5 per case	10 per case	1 per case	5 per case
	98561	98562	98563	
Description	Replacement headband, complete with mounting hardware. For use with 3M™ Speedglas™ Helmet SL.	Assembly parts for headband for 3M™ Speedglas™ Helmet SL.	Replacement battery holder for 3M™ Speedglas™ Filter SL.	
Part Number	98561	98562	98563	
UPC	0-00-51131-98561-2	0-00-51131-98562-9	0-00-51131-98563-6	
Product Name	3M [™] Speedglas [™] Headband and Mounting Hardware SL 05-0650-00	3M™ Speedglas™ Headband Assembly Kit SL 05-0660-00	3M [™] Speedglas [™] Battery Holder SL 05-0370-00	
Packaging	1 per case	1 per case	1 per case	

3M™ Automotive Eye Protection Products

	11228	11326	11328	11440
Description	Lightweight, unisex Virtua (uncoated) protective eyewear for site visitors or single use protection while offering a high wraparound coverage, polycarbonate construction, for a comfortable, contoured fit.	Lightweight, unisex Virtua protective eyewear combines versatility and value with high wraparound coverage, polycarbonate construction and a hard coat, scratch-resistant lens for a comfortable, contoured fit.	Unisex styling. Lightweight design weighs less than one ounce. High wrap offers additional coverage. Meets the High Impact Requirements of ANSI Z87.1-2003.	Lightweight and sport-styled, Orange County Choppers (OCC) extreme safety glasses combine clarity and comfort, while featuring a wraparound aluminum frame, an adjustable nosebridge, spring-hinge temples and impact-resistant poly- carbonate lenses.
Part Number	11228	11326	11328	11440
UPC	1-00-78371-11228-5	1-00-78371-62099-5	1-00-78371-62103-9	1-00-78371-62362-0
Product Name	3M [™] Virtua [™] Protective Eyewear	3M™ Virtua™ Protective Eyewear	3M [™] Virtua [™] Protective Eyewear	3M [™] Orange County Choppers [™] Protective Eyewear 101
Packaging	100 per case	20 per case	20 per case	10 per case
	11444	11446	11471	11472
Description	Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI Z87.1-2003.	Lightweight and sport-styled, Orange County Choppers (OCC) extreme safety glasses combine clarity and comfort, while featuring a wraparound aluminum frame, an adjustable nosebridge, spring-hinge temples and impact-resistant poly- carbonate lenses.	Polycarbonate lens with three angles for custom fit. Adjustable soft-tip temples provide comfort for extended wear. Soft nose bridge. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Polycarbonate lens with three angles for custom fit. Adjustable soft-tip temples provide comfort for extended wear. Soft nose bridge. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.
Part Number	11444	11446	11471	11472
UPC	1-00-78371-62366-8	1-00-78371-62368-2	1-00-78371-62065-0	1-00-78371-62066-7
Product Name	3M [™] Orange County Choppers [™] Protective Eyewear 201	3M [™] Orange County Choppers [™] Protective Eyewear 203	3M [™] BX [™] Protective Eyewear	3M [™] BX [™] Protective Eyewear
Packaging	10 per case	10 per case	20 per case	20 per case
	11473	11474	11475	11476
				50
Description	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge.Meets the High Impact Requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	An illuminating choice for detailed indoor or outdoor work, LightVision protective eyewear features adjustable, hands-free LED lights, while its high wrap lens offers additional coverage.
Part Number	11473	11474	11475	11476
UPC	1-00-78371-62067-4	1-00-78371-62068-1	1-00-78371-62069-8	1-00-78371-62111-4
	3M™ BX™ Reader Protective	3M™ BX™ Reader Protective	3M™ BX™ Reader Protective	3M™ Light Vision™ 2 Protective
Product Name	Eyewear	Eyewear	Eyewear	Eyewear

	11524	11732	11733	11735
		3	3	
Description	Polycarbonate lens with three angles for custom fit. Adjustable soft-tip temples provide comfort for extended wear. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	Lightweight, sporty half-frame design. Soft temples and nosebridge. Orange County Choppers™ logo on temple. Meets the High Impact Requirements of ANSI Z87.1-2003.	Lightweight and sport-styled, Orange County Choppers (OCC) extreme safety glasses combine clarity and comfort, while featuring a wraparound aluminum frame, an adjustable nosebridge, spring-hinge temples and impact-resistant poly- carbonate lenses.	Designed and styled especially for women, Refine protective eyewear are lightweight, slim frame safety glasses that fit and adjust comfortably to the female facial profile. Antifog coating and polycarbonate lens deliver clarity of vision.
Part Number	11524	11732	11733	11735
UPC	1-00-78371-62079-7	1-00-78371-62183-1	1-00-78371-62184-8	1-00-78371-62186-2
Product Name	3M™ BX™ Protective Eyewear	3M [™] Orange County Choppers [™] Protective Eyewear 700	3M [™] Orange County Choppers [™] Protective Eyewear 700	3M [™] Refine [™] Protective Eyewear 201
Packaging	20 per case	10 per case	10 per case	20 per case
	11737	11778	11780	11781
			5	
Description	Specially sized for the smaller face profile of women. Lightweight, slim frame design. Wrap-around lens. Padded, adjustable nosebridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	Motorcycle-inspired design and solid frame construction. Wraparound frame with wide temples. Soft, adjustable nosebridge. Orange County Choppers logo on temples.Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003	Motorcycle-inspired design and solid frame construction. Lightweight half-frame. Soft, adjustable nosebridge. Orange County Choppers logo on temples. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003	Motorcycle-inspired design and solid frame construction. Lightweight half-frame. Soft, adjustable nosebridge. Orange County Choppers logo on temples. Meets the High Impact Requirements of ANSI Z87.1-2003.
Part Number	11737	11778	11780	11781
UPC	1-00-78371-62188-6	1-00-78371-11778-5	1-00-78371-11780-8	1-00-78371-11781-5
Product Name	3M [™] Refine [™] Protective Eyewear 203	3M [™] Orange County Choppers [™] Protective Eyewear 1200	3M [™] Orange County Choppers [™] Protective Eyewear 1200	3M [™] Orange County Choppers [™] Protective Eyewear 1200
Packaging	20 per case	10 per case	10 per case	10 per case
	13407	13633	13752	13753
Description	Adjust brilliantly with photochromic SmartLens protective eyewear, featuring abrasion-resistant hard coat polycarbonate lenses, and a soft adjustable nosebridge, nylon brow and magnesium alloy spring-hinged temple for a flexible fit.	Planogram kit includes a selection of high moving safety products (35 eyewear, 3 head/face, 4 respiratory), header card, re-order tags, counter mat, window cling, customer order form, safety pays cataloge, planogram labels and set-up sheet.	Convenient countertop rack holds 36 pairs of protective eyewear. Rotates 360 degrees for easy selection. Includes mirror to aid customer selection.	Convenient countertop rack holds 12 pairs of protective eyewear. Rotates 360 degrees for easy selection. Includes mirror to aid customer selection.
Part Number	13407	13633	13752	13753
UPC	1-00-78371-62033-9	1-00-78371-13633-5	1-00-78371-13752-3	1-00-78371-13753-0
Product Name	3M [™] Smart Lens [™] Protective Eyewear	AAD Eyewear Planogram 13633- 00000	3M [™] Rotational Protective Eyewear Display Rack	3M [™] Rotational Protective Eyewear Display Rack
Packaging	5 per case	1 per case	1 per case	1 per case

	15100	15200	15204	15250
	0		0	
Description	Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the High Impact Requirements of ANSI Z87.1-2003.	Help protect your vision with this value choice, Lexa protective eyewear. Lexa combines an extra wide viewing range and adjustable lens angles with four temple lengths.	Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Help protect your vision around welding applications. Lexa features switchable lenses, and helps protect from some infrared radiation. Combines extra wide viewing range and adjustable lens angles with four temple lengths.
Part Number	15100	15200	15204	15250
UPC	1-00-78371-62277-7	1-00-78371-62287-6	1-00-78371-62289-0	1-00-78371-62299-9
Product Name	3M [™] Lexa [™] Protective Eyewear Large	3M [™] Lexa [™] Protective Eyewear Medium	3M [™] Lexa [™] Protective Eyewear Medium	3M [™] Lexa [™] Protective Eyewear Medium
Packaging	20 per case	20 per case	20 per case	20 per case
	16644	29114	40698	40709
			200	7
Description	Lightweight, contoured, low profile design. Three lens angle adjustments for custom fit. Vent channels at top and bottom designed to help minimize fogging. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Replacement part for 3M™ Full Facepieces 7000 Series.	Nylon frame. Vented for comfort and reduced fogging. Vented air seal designed to help minimize fog- ging. Elastic headband for comfort- able secure fit. Meets the High Impact requirements of ANSI Z87.1- 2003.	E.V.P. tactical protective eyewear was designed for the rigors of combat. Its wraparound lens offers a wide field of vision, and cushioned browguard, adjustable nosebridge and thin temples are comfortable with most tactical communications headsets.
Part Number	16644	29114	40698	40709
UPC	1-00-78371-62336-1	5-00-51138-29114-8	1-00-78371-40698-8	1-00-78371-61208-2
Product Name	3M [™] Lexa [™] GoggleGear [™] Safety Splash Goggle Medium	3M™ Lens 7884	3M™ Maxim™ Air Flow Safety Goggle 2x2	3M [™] Peltor [™] E.V.P. [™] Tactical Protective Eyewear Kit 40709- 10000
Packaging	10 per case	5 per case	10 per case	10 per case
	40711	40715	40719	40721
	3	7	00	7
Description	E.V.P. tactical protective eyewear was designed for the rigors of combat. Its wraparound lens offers a wide field of vision, and cushioned browguard, adjustable nosebridge and thin temples are comfortable with most tactical communications headsets.	Dual wrap around lens for wide field of view. Lightweight frame. DX™ anti-fog hard coat. Lenses absorb 99.9% UV.	The NightHawk tactical protective eyewear prescription insert fits E.V.P. combat support eyewear with a modular slot-and-tab design that ensures precise positioning without vision shifts.	DX [™] anti-fog hard coat. Absorbs 99.9% UV.
Part Number	40711	40715	40719	40721
UPC	1-00-78371-61210-5	1-00-78371-61214-3	1-00-78371-40719-0	1-00-78371-61218-1
Product Name	3M [™] Peltor [™] E.V.P. [™] Tactical Protective Eyewear Kit 40711- 10000	3M [™] Peltor [™] E.V.P. [™] Replacement Lens 40715-10000 Clear Lens	3M [™] Peltor [™] E.V.P. [™] Prescription Lens Insert 40719-00000	3M [™] Peltor [™] E.V.P. [™] Replacement Lens 40721-10000 Clear Lens
Packaging	10 per case	25 per case	10 per case	25 per case

Description DX ^{IM} anti-log hard coat. Absorbs 99.9% UV. A0726 A1076 PC 1-0-0-78371-61222-8 A1076 PC 1-0-0-78371-6122-8 A1076 PC 1-0-0-78371-6122-8 A1076 A1077 A1076 A1077 A10		40726	41076	60417	60418
Description Desc		40720	41070	00417	00418
Description Desc					
Product Name Product Name Replacement Eurs A072-61000 Amber Lens SM™ Petror™ EV.PTM Replacement Eurs 4072-610000 Amber Lens SM™ Aprille™ Foundry Goggle SM™ Lens Cover 7899-25/7899 SM™ Lens Cover 7899-100/7899-100-Amber Lens SM™ Lens Cover 7899-100-Amber Lens SM™ Lens Cover	Description	9	perfectly for enhanced wearer comfort. Absorbs sweat to keep droplets		
Product Name Replacement Lens 40726-10000 Ammer Lens Cover 7899-2577899- 25-AM 100-AM	Part Number	40726	41076	60417	60418
Packaging 25 per case 50 per case 100 per ca	UPC	1-00-78371-61222-8	1-00-78371-41076-3	5-00-21200-60417-6	5-00-21200-60418-3
Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Alighstable nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 62034 62038 62058 62059 Product Name Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepice and cushioned torw bar. Meets the requirements of SAS 249.3-2007 and the High Impact Canada and cushioned torw bar. Meets the requirements of ANSI 287.1-2003. Description Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepice and cushioned torw bar. Meets the requirements of SAS 249.3-2007 and the High Impact Requirements of SAS 249.3-2007 and Table 249.3-200	Product Name	Replacement Lens 40726-10000			
Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number Description Adjustable length remples with soft tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar and soft nosepiece. Contoured frame and integral sideshields offer expuirements of CSA 294.3-2007 and the High Impact Requirements of ANSI 287.1-2003. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA 294.3-2007 and the High Impact Requirements of ANSI 287.1-2003. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA 294.3-2007 and the High Impact Requirements of ANSI 287.1-2003. Description Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA 294.3-2007 and the High Impact Requirements of CSA 274.3-2007. Part Number G2060 G2062 G2063 G2063 G2064 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number G2060 G2062 G2063 G2063 G2064 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number G2060 G2062 G2063 G2063 G2064 Decided for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI 287.1-2	Packaging	25 per case	50 per case	100 per case	100 per case
Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 62034 62038 62058 62059 UPC 1-00-78371-62034-6 1-00-78371-62038-4 1-00-78371-62038-2 1-00-78371-62058-2 1-00-78371-62059-9 Product Name 20 per case 2		62034	62038	62058	62059
Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 62034 62038 62058 62059 UPC 1-00-78371-62034-6 1-00-78371-62038-4 1-00-78371-62038-2 1-00-78371-62058-2 1-00-78371-62059-9 Product Name 20 per case 2					
Product Name The composition The compositi	Description	Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact	Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact	Lightweight, wrapped design pro- vides excellent fit. Integral side shields offer excellent side protec- tion. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI	tective eyewear features adjustable temples, a cushioned brow bar and soft nosepiece. Contoured frame and integral sideshields offer additional
Product Name 3MTM Virtua TM Protective Eyewear V4 20 per case 20 p	Part Number	62034	62038	62058	62059
Packaging 20 per case 20 per c	UPC	1-00-78371-62034-6	1-00-78371-62038-4	1-00-78371-62058-2	1-00-78371-62059-9
Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62060 62062 Contoured frame and integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 62060 62062 62063 62064 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 62060 62062 62063 62064 Product Name 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Reader Protective Eyewear 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Protective Eyewear	Product Name			3M™ Zora™ Protective Eyewear	3M [™] Nuvo [™] Protective Eyewear
Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62060 Product Name Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepiece adjustable temples, a cushioned brow bar and soft nosepiece. Contoured frame and integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 62060 62062 1-00-78371-62060-5 1-00-78371-62062-9 1-00-78371-62063-6 1-00-78371-62064-3 3MTM NuvoTM Protective Eyewear 3MTM NuvoTM Protective Eyewear 3MTM NuvoTM Protective Eyewear	Packaging	20 per case	20 per case	20 per case	20 per case
Description Adjustable length temples with sort tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62060 Product Name Adjustable length itemples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-62060-5 1-00-78371-62060-5 1-00-78371-62062-9 1-00-78371-62063-6 1-00-78371-62064-3 3M™ Nuvo™ Protective Eyewear Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. ficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. 62062 1-00-78371-62063-6 1-00-78371-62064-3 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Protective Eyewear		62060	62062	62063	62064
Description Adjustable length temples with sort tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62060 Product Name Adjustable length itemples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-62060-5 1-00-78371-62060-5 1-00-78371-62062-9 1-00-78371-62063-6 1-00-78371-62064-3 3M™ Nuvo™ Protective Eyewear Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. ficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003. 62062 1-00-78371-62063-6 1-00-78371-62064-3 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Protective Eyewear		3			
UPC 1-00-78371-62060-5 1-00-78371-62062-9 1-00-78371-62063-6 1-00-78371-62064-3 Product Name 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Reader Protective Eyewear 3M™ Nuvo™ Protective Eyewear 3M™ Nuvo™ Protective Eyewear	Description	tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements	tective reader eyewear features adjustable temples, a cushioned brow bar and soft nosepiece. Contoured frame and integral sideshields offer additional safety	ficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI	ficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-
Product Name 3M TM Nuvo TM Protective Eyewear 3M TM Nuvo TM Reader Protective Eyewear 3M TM Nuvo TM Protective Eyewear 3M TM Nuvo TM Protective Eyewear	Part Number	62060	62062	62063	62064
Product Name SMITH NUVOTH Protective Eyewear Eyewear Eyewear	UPC	1-00-78371-62060-5	1-00-78371-62062-9	1-00-78371-62063-6	1-00-78371-62064-3
	Product Name	3M [™] Nuvo [™] Protective Eyewear		3M [™] Nuvo [™] Protective Eyewear	3M™ Nuvo™ Protective Eyewear
Packaging 20 per case 20 per case 20 per case 20 per case	Packaging	20 per case	20 per case	20 per case	20 per case

	62070	62071	62084	62112
	62070	020/1	02084	62112
				5
Description	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003.	Sleek unisex sport styling look. Comfortable, lightweight frame. High wrap lens for front/side cover- age.Meets the requirements of CSA Z94.3-2007 and the High Impact requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the High Impact requirements of ANSI Z87.1-2003.
Part Number	62070	62071	62084	62112
UPC	1-00-78371-62070-4	1-00-78371-62071-1	1-00-78371-62084-1	1-00-78371-62112-1
Product Name	3M [™] Nuvo [™] Reader Protective Eyewear	3M [™] Nuvo [™] Reader Protective Eyewear	3M [™] Virtua [™] Sport Protective Eyewear	3M™ Light Vision2™ Reader Protective Eyewear
Packaging	20 per case	20 per case	20 per case	10 per case
	62113	62114	62169	62198
	50	50	6	
Description	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Versatile design for military and law enforcement. Air seal for comfort and protection. Side ventilation designed to help minimize fogging. Meets the High Impact require- ments of ANSI Z87.1-2003.	Sleek, frameless design. Unique inter-crossed black and silver temples. Soft nosebridge. Orange County Choppers™ logo on lens. Meets the High Impact Requirements of ANSI Z87.1-2003.
Part Number	62113	62114	62169	62198
UPC	1-00-78371-62113-8	1-00-78371-62114-5	1-00-78371-62169-5	1-00-78371-62198-5
Product Name	3M [™] Light Vision2 [™] Reader Protective Eyewear	3M™ Light Vision2™ Reader Protective Eyewear	3M™ Maxim™ Safety Goggle 2x2	3M [™] Orange County Choppers [™] Protective Eyewear 800
Packaging	10 per case	10 per case	10 per case	10 per case
	62206	62207	62211	62222
	?	Ŷ		\sim
Description	Sleek, seamless wraparound lens. DXTM anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Sleek, seamless wraparound lens. DXTM anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Sleek, seamless wraparound lens. DXTM anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Stylish, lightweight KX protective eyewear for site visitors or general use offers high impact protection, wraparound sideshields and poly- carbonate construction. Comfortable, contoured fit safety glasses for all-day, indoor or out- door use.
Part Number	62206	62207	62211	62222
UPC	1-00-78371-62206-7	1-00-78371-62207-4	1-00-78371-62211-1	1-00-78371-62222-7
Product Name	3M [™] QX [™] Protective Eyewear 1000	3M [™] QX [™] Protective Eyewear 1000	3M [™] QX [™] Protective Eyewear 3000	3M [™] KX [™] Protective Eyewear
Packaging	20 per case	20 per case	20 per case	20 per case

	62224	62226	62227	62235
			~	9
Description	Designed to fit over most prescription glasses. Seamless lens with built-in sideshields provides a wide field of vision. Wide frame fits a variety of face shapes and sizes. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Sturdy, durable OX protective eye- wear delivers high impact protec- tion, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Its lightweight frame and anti-fog hard coat lens deliver clarity.	Sleek, seamless wraparound lens. DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Lightweight Maxim protective eye- wear is both stylish and durable, featuring adjustable temples and nosebridge, a cushioned browguard and a ventilation channel designed to help prevent fogging and vent heat away from the face.
Part Number	62224	62226	62227	62235
UPC	1-00-78371-62224-1	1-00-78371-62226-5	1-00-78371-62227-2	1-00-78371-62235-7
Product Name	3M [™] OX [™] Protective Eyewear	3M [™] 0X [™] Protective Eyewear 2000	3M [™] QX [™] Protective Eyewear 2000	3M™ Maxim™ Protective Eyewear
Packaging	20 per case	20 per case	20 per case	20 per case
	62245	62269	62282	62301
				0
Description	Sporty, colorful Maxim Sport protective eyewear is both stylish and durable, featuring dual-injected temples, a soft, cushioned browguard and a scratch-resistant, antifog coating. Contemporary, stylish safety glasses at an affordable price.	Single piece high impact polycarbonate lens includes a comfortable flared nose bridge. DX™ anti-fog hard coat protects lens from fog, scratching, and many chemicals. Lens absorbs 99.9% UV.	Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the requirements of CSA 794.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Protect your vision with a valueable choice in Lexa protective eyewear. Lexa combines an extra wide viewing range and adjustable lens angles with four temple lengths. Lightweight, high wrap offers additional coverage.
Part Number	62245	62269	62282	62301
UPC	1-00-78371-62245-6	1-00-78371-62269-2	1-00-78371-62282-1	1-00-78371-62301-9
Product Name	3M [™] Maxim [™] Sport Protective Eyewear	3M [™] Nassau Plus [™] Protective Eyewear Replacement Lens	3M [™] Lexa [™] Fighter Protective Eyewear Medium	3M [™] Lexa [™] Protective Eyewear Medium
Packaging	20 per case	100 per case	100 per case	100 per case
	62302	62321	62328	62329
			8	8
Description	Dependable Seepro protective eye- wear features integrated sideshields, brow and nose bridge, as well as an anti-fog, polycarbon- ate lens for indoor or outdoor use, and adjustable temples.	Lightweight, durable Fectoggles performs as safety impact goggles yet has the soft comfort of glasses. Snug fit strap and foam flange seal offer extra protection, while the polycarbonate, anti-fog coating pro- vides a clear, UV-free lens.	Top and bottom vent channels increase airflow, designed to help minimize fogging. Soft foam flange seals entire lens perimeter to help keep out particulates. Can be used with existing Lexa™ eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Top and bottom vent channels increase airflow, designed to help minimize fogging. Soft foam flange seals entire lens perimeter to help keep out particulates. Can be used with existing Lexa [™] eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.
Part Number	62302	62321	62328	62329
UPC	1-00-78371-62302-6	1-00-78371-62321-7	1-00-78371-62328-6	1-00-78371-62329-3
Product Name	3M [™] Seepro [™] Protective Eyewear	3M [™] Fectoggles [™] Safety Goggles	3M™ GoggleGear™ Safety Goggle	3M [™] GoggleGear [™] Safety Goggle
Packaging	100 per case	10 per case	10 per case	10 per case

Top and bottom went channels increase airflow, designed both being minimize forging. Soft foam flags assists entire less perimeter to help keep out particulates. Can be used with easting Lean "eyewear. Manas the increases airflow, designed both less perimeter to help keep out particulates. Can be used with easting Lean "eyewear. Manas the increases and the productive forging in Adjustable head-band. Meets the High Impact requirements of ANS 287.1-2003. Part Number 62331 1-00-78371-62341-5 1-00-78371-62342-2 1-00-78371-62343-9 1-00-78371-62342-2 1-00-78371-62343-9 1-00-78371-6		const		00040	C0040
Increase airflow, designed to help minimize logging. Soft from flange seals entire lens perimeter to help keep out practiculates. Can be used with existing Lexa™ gewear. Mees the requirements of ANSI 267.1-2003. Part Number Description Wiraparound aluminum frame, Soft, spring-hinge temples and adjustation neeberinge, Orange County Choppers™ log on frame and less Meets the High Impact, Requirements of ANSI 267.1-2003. Part Number Wiraparound aluminum frame, Soft, spring-hinge temples and adjustation neeberinge, Orange County Choppers™ log on frame and less. Meets the High Impact, Requirements of ANSI 267.1-2003. Part Number Description Des		62331	62341	62342	62343
Increase airflow, designed to help minimize logging. Soft from flange seals entire lens perimeter to help keep out practiculates. Can be used with existing Lexa™ gewear. Mees the requirements of ANSI 267.1-2003. Part Number Description Wiraparound aluminum frame, Soft, spring-hinge temples and adjustation neeberinge, Orange County Choppers™ log on frame and less Meets the High Impact, Requirements of ANSI 267.1-2003. Part Number Wiraparound aluminum frame, Soft, spring-hinge temples and adjustation neeberinge, Orange County Choppers™ log on frame and less. Meets the High Impact, Requirements of ANSI 267.1-2003. Part Number Description Des				The state of the s	
Product Name 3M™ GoggleGear™ Safety Goggle Gard Gard Gard Gard Gard Gard Gard Gard	Description	increase airflow, designed to help minimize fogging. Soft foam flange seals entire lens perimeter to help keep out particulates. Can be used with existing Lexa [™] eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact	wraparound lens design. Soft poly- meric inner seal for enhanced com- fort. Indirect ventilation designed for improved air flow and to help reduce fogging. Adjustable head- band. Meets the High Impact	Polycarbonate construction. Integral sideshields provide wraparound protection. Large lens fits over prescription eyewear. Comes in ready-	Standard, economical Tour-Guard protective eyewear for site visitors or general use offers impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Indoor or outdoor use safety glasses.
Product Name Packaging 10 per case 10 pe	Part Number	62331	62341	62342	62343
Packaging 10 per case 10 per	UPC	1-00-78371-62331-6	1-00-78371-62341-5	1-00-78371-62342-2	1-00-78371-62343-9
Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI 287.1-2003.	Product Name	3M [™] GoggleGear [™] Safety Goggle			3M [™] Tour-Guard [™] III Protective Eyewear
Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 62367 Product Name Protective Eyewear 2024 Packaging 10 per case Sport Grip™ temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX™ arti-log hard coat protects from flog, scratching, and many chemicals. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 62367 Product Name Protective Eyewear 204 Packaging Sport Grip™ temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX™ arti-log hard coat protects from flog, scratching, and many chemicals. Meets the requirements of ANSI 287.1-2003. Bescription Description Part Number 62386 Sport Grip™ temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX™ arti-log hard coat protects from flog, scratching, and many chemicals. Meets the requirements of CSA 294.3-2007 and the High Impact Requ	Packaging	10 per case	10 per case	100 per case	100 per case
Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge. Orange Courty Choppers™ logo on frame and lens. Meets the High Impact. Requirements of ANSI 287.1-2003. R		62367	62369	62380	62382
Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge. Orange Courty Choppers™ logo on frame and lens. Meets the High Impact. Requirements of ANSI 287.1-2003. R					8
Product Name Todo-78371-62367-5 Todo-78371-62369-9 Todo-78371-62380-4 Todo-78371-62	Description	spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact	spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact	additional coverage. Impact-resist- ant polycarbonate lenses. Anti-fog hardcoat. Soft, adjustable nose bridge and temple tips. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements	Distinctive style. High wrap offers additional coverage. Impact-resist-ant polycarbonate lenses. Anti-fog hardcoat. Soft, adjustable nose bridge and temple tips. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.
Product Name Sport Grip™ temples	Part Number	62367	62369	62380	62382
Protective Eyewear 202 Protective Eyewear 204 Eyewear Eyewear Packaging 10 per case 10 per case 20 per case 20 per case 20 per case 62386 62390 83735 89158 Sport Grip™ temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62386 62390 83735 89158 Part Number 1-00-78371-62386-6 1-00-78371-62390-3 1-00-78371-83735-5 5-00-51135-89158-7 3M™ X Sport™ Protective 2020 Protective Eyewear 204 Eyewear Eyewear Eyewear 204 Eyewear 205 Protects Eyewear 204 Eyewear 205 Protects Eyewear 204 Eyewear 205 Protects E	UPC	1-00-78371-62367-5	1-00-78371-62369-9		
Sport Grip™ temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number Part Number 62386 62390 83735 89158 Functional design with a 6 ba curve lens, 5-position adjustm and built in side shields. Soft ping nosepiece for greater commodate prescription and safety eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62386 62390 83735 89158 UPC 1-00-78371-62386-6 1-00-78371-62390-3 3MTM Centurion™ Safety Splash 3MTM Super-Clear™ Disposable 3MTM Super-Clear™ Disposable 3MTM Protective Everyear 177	Product Name				3M [™] Metaliks [™] Protective Eyewear
Sport Grip™ temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62386 62390 83735 89158 UPC 1-00-78371-62386-6 1-00-78371-62390-3 1-00-78371-83735-5 5-00-51135-89158-7	Packaging	10 per case	10 per case	20 per case	20 per case
Sport Grip TM temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX TM anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62386 62390 Bign T Grip TM temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX TM anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62386 62390 Bayra S Sport Grip TM temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX TM and boult in side shields. Soft ping nosepiece for greater com and fit. The hard-coated polycomate lens reduces UV radiation sheets of lens cleaning paper. Ready to hang. Functional design with a 6 baccurve lens, 5-position adjustm and built in side shields. Soft ping nosepiece for greater com and fit. The hard-coated polycomate lens reduces UV radiation sheets of lens cleaning paper. Ready to hang. Part Number 62386 62390 83735 89158 UPC 1-00-78371-62386-6 1-00-78371-62390-3 1-00-78371-83735-5 5-00-51135-89158-7 3MTM Super-Clear M Disposable sheets of lens cleaning fluid. Also contains 1500 sheets of		62386	62390	83735	89158
offers additional coverage and excellent peripheral vision. Lens with DXTM anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62386 62390 Bigh wrap offers additional coverage and excellent peripheral vision. Lens with DXTM anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Part Number 62386 62390 83735 89158 UPC 1-00-78371-62386-6 1-00-78371-62390-3 3MTM X Sport M Protective 3MTM X Sport M Protective 3MTM X Sport M Protective 3MTM Super-Clear M Disposable 3MTM Super-Clear M Disposable 3MTM Super-Clear M Disposable 3MTM Super-Clear M Disposable 3MTM Protective Evewear 173				SUPER-CLEAR SUPER	
UPC 1-00-78371-62386-6 1-00-78371-62390-3 1-00-78371-83735-5 5-00-51135-89158-7 3MTM X SportTM Protective 3MTM CenturionTM Safety Splash 3MTM Super-ClearTM Disposable 3MTM Protective Evewear 177	Description	offers additional coverage and excellent peripheral vision. Lens with DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements	age. Large lens opening to accommodate prescription and safety eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI	cleaning fluid. Also contains 1500 sheets of lens cleaning paper.	Functional design with a 6 base curve lens, 5-position adjustment, and built in side shields. Soft pivoting nosepiece for greater comfort and fit. The hard-coated polycarbonate lens reduces UV radiation by 99% and resists scratches. Red frame, clear lens.
3MTM X SportTM Protective 3MTM CenturionTM Safety Splash 3MTM Super-ClearTM Disposable 3MTM Protective Evewear 17:	Part Number	62386	62390	83735	89158
Product Name 3M™ X.Sport™ Protective 3M™ Centurion™ Safety Splash 3M™ Super-Clear™ Disposable 3M™ Protective Eyewear 177	UPC	1-00-78371-62386-6	1-00-78371-62390-3	1-00-78371-83735-5	5-00-51135-89158-7
Eyewear Goggle 454AF Lens Cleaning Station 1AF	Product Name				3M [™] Protective Eyewear 1770- 1AF
Packaging 20 per case 10 per case 6 per case 24 per case	Packaging	20 per case	10 per case	6 per case	24 per case

3M[™] Automotive Eye Protection Products (continued)

	89164	90525-80025	90552-80025	90596-00000
	These bifocal safety glasses feature	Virtua`s lightweight and wrap-		
Description	adjustable temple settings, a soft nosepiece provides greater comfort and fit. The hard-coated polycar- bonate lens reduces UV radiation by 99% and resists scratches. Black frame, clear lens, +1.5 bifocal magnification.	around lens design provides distortion-free optics, provides 99.9% UV protection and is constructed of a polycarbonate, blue mirror lens. Meets ANSI Z87.1 and complies with OSHA regulations for industrial eye protection.	Wraparound, lightweight polycar- bonate lens design. Meets ANSI Z87.1 regulations and complies with OSHA standards.	Classic dual lens design with anti- scratch coating provides 99.9% UV protection. Blue translucent frame and clear lens with soft nose pads. Impact tested to meet ANSI Z87.1 and OSHA regulations.
Part Number	89164	90525-80025	90552-80025	90596-00000
UPC	5-00-51135-89164-8	1-00-78371-61294-5	1-00-78371-90552-8	0-00-78371-90596-5
Product Name	3M [™] Protective Eyewear 1790-15	3M [™] Virtua® Safety Glasses 90525-80025	3M [™] Stylish Outdoor Safety Glasses 90552-80025	3M [™] XF707 X-Factor® Safety Glasses 90596-00000 Clear Lens
Packaging	24 per case	6 per case	6 per case	5 per case
	90834-80025	90970-80002	90974-80025	
Description	Wraparound, lightweight polycar- bonate lens design. Clear frames with clear lens. Convenient, bulk 4 pack. Meets ANSI Z87.1 and OSHA standards.	Wraparound , anti -fog, anti-scratch lens design provides 99.9% UV pro- tection. Adjustable temples with comfort grip tips. Black frame and clear lens. Comfortable and light- weight. Meets ANSI Z87.1, CSA Z94.3 and OSHA standards.	Semi-rimless, dual lens anti- scratch lens design provides 99.9% UV protection. Black frame with indoor/outdoor mirror lens. Soft nosepiece and adjustable temples for added comfort. Meets ANSI Z87.1, CSA Z94.3 and OSHA safety standards.	
Part Number	90834-80025	90970-80002	90974-80025	
UPC	1-00-78371-61246-4	1-00-78371-61125-2	1-00-78371-61236-5	
Product Name	3M [™] Stylish Indoor/Contractor Safety Glasses	3M [™] XF1 X-Factor® Safety Glasses 90970-80002 Black Frame	3M [™] XF4 X-Factor® Safety Glasses 90974-80025 Black Frame	
Packaging	4 per pack 6 packs per case	6 per case	6 per case	

3M[™] Automotive Face Protection Products

	00413	28882	37301
Description	Combination head, face and hearing protection system is designed for forestry and agriculture.	NIOSH approved against ammonia and methylamine. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	The 3M [™] Versaflo [™] S-757 Hood Assembly consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M [™] Powered Air Purifying and Supplied Air Respirator Systems.
Part Number	00413	28882	37301
UPC	1-00-78371-00413-9	5-00-51138-28882-7	0-00-51131-37301-3
Product Name	LumberJack™ Hard Hat G413B	3M [™] Ammonia Methylamine Organic Vapor Cartridge 6004	3M [™] Versaflo [™] Painter's Hood Assembly with Inner Shroud and Premium Head Suspension S- 757
Packaging	1 per case	60 per case	1 per case

3M™ Automotive Face Protection Products (continued)

	52789	82701	82783
Description	A clip-on welding attachment for the 3M™ Full Facepiece 7800S.	Standard size, molded general purpose polycarbonate faceshield offers high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. Requires protective eyewear, sold separately.	A combination headgear and faceshield safety system. Includes 3M™ H8A Ratchet Headgear and 3M™ WP96 Polycarbonate Faceshield. Adjustable ratchet suspension. Molded faceshield provides impact protection. Requires protective eyewear, sold separately.
Part Number	52789	82701	82783
UPC	0-00-51131-52789-8	1-00-78371-82701-1	1-00-78371-82783-7
Product Name	3M [™] Clip-on Welding Shield Kit 7990/7990-AM	3M™ Clear Polycarbonate Faceshield WP96	3M [™] Ratchet Headgear H8A With Clear WP96 Polycarbonate Faceshield
Packaging	1 per case	10 per case	5 per case

3M[™] Automotive Face Protection Products Replacement Parts

	00413	12193	17094	17102
				The state of the s
Description	Combination head, face and hear- ing protection system is designed for forestry and agriculture.	Used with 3M™ Hardcap Assemblies. This cover is 5 1/2 inches x 10 1/2 inches and helps prevent scratching of the faceshield.	The 3M™ Versaflo™ S-657 Hood Assembly consists of a S-950 Premium Head Suspension and a S-607 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems.	The 3M [™] Versaflo [™] S-951 Headband is a spare part for the S- 950 Premium Head Suspension.
Part Number	00413	12193	17094	17102
UPC	1-00-78371-00413-9	5-00-51138-12193-3	0-00-51131-17094-0	0-00-51131-17102-2
Product Name	LumberJack™ Hard Hat G413B	3M™ Faceshield Cover W-9410-3	3M [™] Versaflo [™] Hood Assembly with Inner Shroud and Premium Head Suspension S-657	3M [™] Versaflo [™] Headband for Premium Head Suspension S-951
Packaging	1 per case	200 per case	1 per case	1 per case

3M™ Automotive Face Protection Products Replacement Parts (continued)

This shroud is used on the 3M™ Miniscap™ Helmat W-3000. The flower is used on the 3M™ Miniscap™ Helmat W-3000. The flower is used on 3M™ Miniscap™ Helmat W-3000 to probe flower. The helmat is black. This faceshield is used on all 3M™ Miniscap™ Helmat W-3000. The helmat is black. 2 29 7294 C -0.051138-1922.3 3M™ Miniscap™ Helmat W-3000. Approach Manake Blasting Helmat Assembly W-8002. 2 2 per case 2 1809 This faceshield is used on all 3M™ Miniscap™ Helmat Assembly W-8002. 2 per case 2 1809 This faceshield is used on all 3M™ Miniscap™ Helmat Assembly W-8002. 2 per case 2 1840 This faceshield is used on all 3M™ Miniscap™ Helmat Assembly W-8002. 2 per case 2 1840 This faceshield is used on all 3M™ Miniscap™ Helmat Assembly W-8002. 2 per case 2 1840 This faceshield is used on all 3M™ Miniscap™ Helmat Assembly W-8002. 2 per case 2 1840 This faceshield is used on all 3M™ Miniscap™ Helmat Assembly W-8002. 2 per case 2 2 per case 2 1840 This faceshield is used on all 3M™ Miniscap™ Helmat Assembly W-8003. 2 per case 2 2 per case 3 mm Miniscap™	ow Autom	olive race Protection	•	,	
sescription This stroud is used on the 3M™ Whitecap™ Helmet W-8000. In the strought is used on the 3M™ Modes and eyes from airborne particles. The outer shell is constructed of polyethelene. The helmet is black. In the strought is used on 3M™ Modes and 4M™ Modes and 4M™ Modes and 4M™ Modes and 4M™ Modes and 5M™ Modes a		19222	21294	21297	21303
sescription This stroud is used on the 3M™ Whitecap™ Helmet W-8000. In the strought is used on the 3M™ Modes and eyes from airborne particles. The outer shell is constructed of polyethelene. The helmet is black. In the strought is used on 3M™ Modes and 4M™ Modes and 4M™ Modes and 4M™ Modes and 4M™ Modes and 5M™ Modes a					110
PC 5-00-51138-1922-3 0-00-51138-21294-0 0-00-51138-21297-1 0-00-51138-21303-9 roduct Name 3M™ Inner Shroud W-8020-2 Blasting Helmet Assembly W-8008 1 per case 25 per case 21340 2121 21584 This faceshield is used on all 3M™ Whitecap™ Helmet Assembly W-8008 1 per case 25 per case 25 per case 21340 2121 21584 This faceshield is used on all 3M™ Whitecap™ Helmet Baser based on the 3M™ Whitecap™ Helmet Baser by W-81008. Based provides excellent vision and is ear conflort. 21306 21340 21421 21584 PC 5-00-51138-21306-5 5-00-51138-21340-9 0-0-51138-21421-0 5-00-51138-21584-7 roduct Name 3M™ Inner Faceshield W-8100-1 3M™ Head Strap/Harness Assembly 7993S Assembly 7993S 3M™ Whitecap™ Helmet Baser based on the 3M™ Baser based on the 3M™ Whitecap™ Helmet Baser based on the 3M™ Helmet Baser based	Description		sive blasting. The double faceshield design helps protect the face and eyes from airborne parti- cles. The outer shell is constructed of polyethelene. The helmet is	Shroud Clamp W-8061. The shroud provides added protection for certain applications. It is used on	This cover is used on 3M [™] Whitecap [™] Helmets W-8000 to pro- tect the faceshield from damage.
ackaging 2 per case 1 per case 25 per case 25 per case 25 per case 25 per case 21906 21340 21421 21584 This faceshield is used on all 3M™ Whitecap™ Helmets. It is mandatory for use in all abrasive blasting applications. This faceshield W-8100-5 5-00-51138-21306-5 5-00-51138-21306-5 21587 21587 Toduct Name 3M™ Inner Faceshield W-8100-1 3M™ Whitecap™ Helmet Rescription Where W-8100-5 This cover provides excellent wision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet Beaching tube wedd on 3M™ Whitecap™ Helmet environment for user comfort. Used on the 3M™ Whitecap™ Helmet Rescription Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet Rescription Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet Rescription Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet Rescription Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whi	Part Number	19222	21294	21297	21303
ackaging 2 per case 1 per case 21306 21340 21421 21584 This faceshield is used on all 3M™ Whitecap™ Helmets. It is mandator by for use in all abrasive blasting applications. This faceshield is used on all 3M™ Whitecap™ Helmets. It is mandator by for use in all abrasive blasting applications. This cover is used on the 3M™ Whitecap™ Helmets. It is mandator by for use in all abrasive blasting applications. This cover is used on the 3M™ Whitecap™ Helmets. It is mandator by for use in all abrasive blasting applications. This cover is used on the 3M™ Whitecap™ Helmets. It is mandator by for use in all abrasive blasting applications. 21340 21421 21584 21584 PC 5-00-51138-21306-5 5-00-51138-21340-9 0-00-51138-21421-0 5-00-51138-21584-7 roduct Name 3M™ Inner Faceshield W-8160-10 3M™ Head Strap/Hamess Assembly 7893S 2 per case 1 per case 3 per per subject of the pe	UPC	5-00-51138-19222-3	0-00-51138-21294-0	0-00-51138-21297-1	0-00-51138-21303-9
This faceshield is used on all 3M™ Whitecap™ Helmets. It is mandatory for use in all abrasive blasting applications. This faceshield is used on all 3M™ Minitecap™ Helmets. It is mandatory for use in all abrasive blasting applications. This cover is used on the 3M™ Minitecap™ Helmets. It is mandatory for use in all abrasive blasting applications. This cover is used on the 3M™ Whitecap™ Helmets. It is attaches at the back of the helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet assembly W-8100B, Black Provides excellent vision and is ear to replace. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover is used on the 3M™ Minitecap™ Helmet environment for user ordor. This cover i	Product Name	3M [™] Inner Shroud W-8020-2		3M™ Shroud Assembly W-8052	3M [™] Faceshield Cover W-8045-25
This faceshield is used on all 3M™ Whitecap™ Helmets. It is mandatory or use in all abravise blasting applications. This faceshield is used on all 3M™ Faceshield is used on all 3M™ Whitecap™ Helmets. It is mandatory or use in all abravise blasting applications. This faceshield is used on all 3M™ Minitecap™ Helmets. It is mandatory or use in all abravise blasting applications. This faceshield is used on all 3M™ Minitecap™ Helmets. It is mandatory or use in all abravise blasting applications. This cover is used on the 3M™ Whitecap™ Morasive Blasting Helmet Assembly W-8100B, Black Provides excellent vision and is ear to replace. This cover is used on the 3M™ Whitecap™ Helmet environment for use creptating tube to replace. This cover is used on the 3M™ Whitecap™ Helmet environment for use creptating tube used on 3M™ Morasive Blasting Helmet Assembly W-8100B, Black Provides excellent vision and is ear to replace. This cover is used on the 3M™ Whitecap™ Helmet and to the pire regulating valve and and the trip to the helmet environment for use rounding to excellent wision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-810B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-810B. This cover provides excellent vision and helps keep the faceshield clean. The 3M™ Hood Assembly S-757 consists of a S-950 Premium Heat Jam Full Half and Full Facepieces 7000 Series and 3M™ Half and Full papping and Supplies keep the faceshield clean. The 3M™ Hood Assembly S-757 consists of a S-950 Premium Heat Jam Full Half and Full papping and Supplies of the service o	Packaging	2 per case	1 per case	1 per case	25 per case
This faceshield is used on all 3M™ Whitecap™ Helmets. It is mandatory for use in all abrasive blasting applications. Replacement part for 3M™ Full Facepieces 7000 Series. This faceshield is used on the 3M™ Whitecap™ Melmets. It and to the air regulating valve and carries the air into the helmet environment for user comfort. 21306 21340 21421 21584 PC 5-00-51138-21306-5 5-00-51138-21340-9 0-00-51138-21421-0 5-00-51138-21584-7 3M™ Whitecap™ Helmet Breathing Tube W-8003 3M™ Whitecap™ Helmet Breathing Tube W-8003 10 per case 2 per case 1 per case 10 per case 1		21306	21340	21421	21584
This faceshield is used on all SM™ Whitecap™ Helmets. It is mandatory for use in all abrasive blasting applications. Replacement part for 3M™ Full Facepieces 7000 Series. SM™ Inher Faceshield W-8160-10 SM™ Inher Faceshield W-8160-10 SM™ Inher Faceshield W-8160-10 Assembly 7893S Save provides excellent vision and search of the faceshield W-8101-1 Skeep the faceshield Clean. Replacement part for 3M™ Faceshield W-8160-10 Series. SM™ Inher Faceshield W-8160-10 SM™ Inher Faceshield W-8160-10 SM™ Inher Faceshield W-8101-1 Sm™ Whitecap™ Helmet Breathing Tube W-8003 Sm™ Outer Faceshield W-8101-1 Sm™ Outer Faceshield W-8101-1 Sm™ Moult Facepieces 8000 Series and 3M™ Half and Full Facepieces 8000 Series with bayonet style cartridge holders. SM™ Respirator Systems art Number 21585 21587 28882 37301 90-00-51138-21587-8 5-00-51138-21587-8 5-00-51138-21587-8 5-00-51138-21587-8 5-00-51138-21587-8 3M™ Ammonia Methylamine Cartridge 6004 Suspension 3-757					
PC 5-00-51138-21306-5 5-00-51138-21340-9 0-00-51138-21421-0 5-00-51138-21584-7 roduct Name 3M™ Inner Faceshield W-8160-10 3M™ Head Strap/Harness Assembly 7893S 1 per case 1 per case 1 per case 10 per case 2 per case 1 per case 10 per case 21587 28882 37301 Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Interest PC 0-00-51138-21585-9 5-00-51138-21587-8 28882 37301 Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Solution of the faceshield clean of the faceshield clean. Solution of the faceshield clean of the faceshield clean. Solution of the faceshield clean of the faceshield clean. Solution of the faceshield clean of the faceshield clean. Solution of the faceshield clean of the faceshield clean of the faceshield clean. Solution of the faceshield clean of the faceshield clean of the faceshield clean of the faceshield clean. Solution of the faceshield clean of the faces	Description	Whitecap™ Helmets. It is mandatory for use in all abrasive blasting		3M™ Whitecap™ Helmets. It attaches at the back of the helmet and to the air regulating valve and carries the air into the helmet envi-	Whitecap™ Abrasive Blasting Helmet Assembly W-8100B, Black. Provides excellent vision and is easy
The 3M™ Inner Faceshield W-8160-10 3M™ Inner Shroud and Premium Head Suspension S-757 3M™ Inner Shroud and Premium Head Suspension S-757	Part Number	21306	21340	21421	21584
Assembly 7893S Breathing Tube W-8003 10 per case 2 per case 1 per case 10 per case 21585 21587 28882 37301 Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Bullosh approved against ammonia and methylamine. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Breathing Tube W-8003 NIOSH approved against ammonia and methylamine. Use with 3M™ Half and methylamine. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Breathing Tube W-8003 The 3M™ Hood Assembly S-757 consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems PC 0-00-51138-21585-9 5-00-51138-21587-8 5-00-51138-28882 37301 3M™ Faceshield Cover W-8102-25 3M™ Faceshield Cover W-8102-25 3M™ Ammonia Methylamine Cartridge 6004 SM™ Ammonia Methylamine Cartridge 6004 SM™ Painter's Hood Assembly with Market aproved Assembly with Market aproved Assembly with Market and methylamine Cartridge 6004 SM™ Painter's Hood Assembly with Market aproved Assembly with Mark	UPC	5-00-51138-21306-5	5-00-51138-21340-9	0-00-51138-21421-0	5-00-51138-21584-7
Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. art Number PC 3M™ Faceshield Cover W-8102-25 21587 28882 37301 NIOSH approved against ammonia and methylamine. Use with 3M™ Consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplie Air Respirator Systems 3M™ Faceshield Cover W-8102-25 3M™ Faceshield Cover W-8102-25 3M™ Faceshield Cover W-8102-25 3M™ Ammonia Methylamine Cartridge 6004 NIOSH approved against ammonia and methylamine. Use with 3M™ Consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplie Air Respirator Systems 37301 3M™ Painter's Hood Assembly with 3M™ Ammonia Methylamine Cartridge 6004 3M™ Painter's Hood Assembly with 3M™ Painter's Hood Assembly with 1nner Shroud and Premium Head Suspension S-757	Product Name	3M™ Inner Faceshield W-8160-10			3M [™] Outer Faceshield W-8101-10
Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. WiloSH approved against ammonia and methylamine. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 6000 Series with bayonet style cartridge holders. WiloSH approved against ammonia and methylamine and methylamine consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplie Air Respirator Systems WiloSH approved against ammonia and methylamine and methylamine consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplie Air Respirator Systems WiloSH approved against ammonia and methylamine and methylamine Cartridge holders. WiloSH approved against ammonia and methylamine Cartridge 6000 Series with bayonet style cartridge holders. WiloSH approved against ammonia and methylamine Cartridge holders. WiloSH approved against ammonia and methylamine Cartridge 6000 Series with bayonet style cartridge holders. WiloSH approved against ammonia and methylamine Cartridge holders. WiloSH approved for use with 2Suspension and 2S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supproved for use with certain 3M™ Powered Air Purifying and Supproved for use with 2Suspension and 4S-707 Hood. It is approved for use with 2Suspension and 4S-707 Hood. It is approved for use with 2Suspension and 4S-707 Hood. It is approved for use with 2Suspension and 4S-707 Hood. It is approved for use with 2Suspension and 4S-707 Hood. It is approved for use with 2Suspension and 4S-707 Hood. It is approved for use with 2Suspension and 4S-707 Hood. It is approved for use with 2Suspension and 4S	Packaging	10 per case	2 per case	1 per case	10 per case
Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Seep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Series and 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Powered Air Purifying and Supplier Air Respirator Systems Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplier Air Respirator Systems Series and 3M™ Powered Air Purifying and Supplier Air Respirator Systems Series and 3M™ Powered Air Purifying and Supplier Air Respirator Systems Series and 3M™ Ammonia Methylamine. Use with ammonia Methylamine Cartridge 6004 Series and 3M™ Ammonia Methylamine. Should and Premium Head Suspension S-757		21585	21587	28882	37301
Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Seep the faceshield clean. Used on the 3M™ Whitecap™ Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean. Series and 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Facepieces 7000 Series with bayonet style cartridge holders. Series and 3M™ Powered Air Purifying and Supplier Air Respirator Systems Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplier Air Respirator Systems Series and 3M™ Powered Air Purifying and Supplier Air Respirator Systems Series and 3M™ Powered Air Purifying and Supplier Air Respirator Systems Series and 3M™ Ammonia Methylamine. Use with ammonia Methylamine Cartridge 6004 Series and 3M™ Ammonia Methylamine. Should and Premium Head Suspension S-757		1	1		
PC 0-00-51138-21585-9 5-00-51138-21587-8 5-00-51138-28882-7 0-00-51131-37301-3 and the product Name 3MTM Faceshield Cover W-8102-25 3MTM Faceshield Cover W-8102-250 3MTM Ammonia Methylamine Cartridge 6004 3MTM Painter's Hood Assembly with Inner Shroud and Premium Head Suspension S-757	Description	Helmet W-8100B. This cover provides excellent vision and helps	Helmet W-8100B. This cover provides excellent vision and helps	and methylamine. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayo-	The 3M [™] Hood Assembly S-757 consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M [™] Powered Air Purifying and Supplied Air Respirator Systems
roduct Name 3M [™] Faceshield Cover W-8102-25 3M [™] Faceshield Cover W-8102-25 3M [™] Faceshield Cover W-8102-25 3M [™] Ammonia Methylamine Cartridge 6004 3M [™] Painter's Hood Assembly with Cartridge 6004 Suspension S-757	Part Number	21585	21587	28882	37301
roduct Name 3M TM Faceshield Cover W-8102-25 3M TM Faceshield Cover W-8102-25 250 Cartridge 6004 Inner Shroud and Premium Head Suspension S-757	UPC	0-00-51138-21585-9	5-00-51138-21587-8	5-00-51138-28882-7	0-00-51131-37301-3
ackaging 25 per case 250 per case 60 per case 1 per case	Product Name	3M [™] Faceshield Cover W-8102-25			3M [™] Painter's Hood Assembly with Inner Shroud and Premium Head Suspension S-757
	Packaging	25 per case	250 per case	60 per case	1 per case

3M™ Automotive Face Protection Products Replacement Parts (continued)

	37302	46526	52754	52755
			0	
Description	The 3M™ Versaflo™ S-922 Visor Cover is a transparent covering that can be applied to the all S-600, S-700, and S-800 hood assemblies to protect the visor from contaminants and scratches.	The perfect choice for work envi- ronments that do not require ANSI compliance. Bump caps help to prevent minor bumps and bruises from overhead hazards.	This is a replacement inhalation valve designed for 3M™ Half Facepiece Respirators 7501, 7502, and 7503.	This valve is used with the 3M [™] Half Facepiece Respirators 7000 Series, and also used with the 3M [™] Center Adapter 6864 on the 3M [™] Full Facepiece Respirators 6000 Series.
Part Number	37302	46526	52754	52755
UPC	5-00-51131-37302-5	1-00-78371-46526-8	5-00-51131-52754-1	5-00-51131-52755-8
Product Name	3M [™] Versaflo [™] Peel-Off Visor Cover S-922	Bump Cap 46526-00000	3M™ Inhalation Valve 7582	3M™ Exhalation Valve 7583
Packaging	40 per case	30 per case	10 per case	10 per case
	52789	52799	54145	54146
Description	A clip-on welding attachment for the 3M™ Full Facepiece 7800S.	Adjustable shade, electronic auto darkening lens for use with 3M™ Clip-on Welding Faceshield Kit 7990/7990-AM.	This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ particulate filters or cartridges to help provide respiratory protection against particulates and/or a variety of gases and vapors.	This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ Particulate Filters or Cartridges, to help provide respiratory protection against particulates and/or a variety of gases and vapors.
Part Number	52789	52799	54145	54146
UPC	0-00-51131-52789-8	0-00-51131-52799-7	5-00-51138-54145-8	5-00-51138-54146-5
Product Name	3M™ Clip-on Welding Shield Kit 7990/7990-AM	3M [™] Electronic Lens Assembly 7991/7991-AM	3M™ Full Facepiece Reusable Respirator 6700 Small	3M™ Full Facepiece Reusable Respirator 6800 Medium
Packaging	1 per case	1 per case	4 per case	4 per case
	54159	54257	54258	54259
Description	This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ Particulate Filters or Cartridges, to help provide respiratory protection against particulates and/or a variety of gases and vapors.	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100 and 3M [™] Cartridges 6000 Series. Also use with powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals.	Use with 3M TM Filters 2000 Series, 3M TM Cartridges 6000 Series, 3M TM Cartridges and Filters 7000 Series and powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals.	Use with 3M [™] Filters 2000 Series, 3M [™] Cartridges 6000 Series, 3M [™] Cartridges and Filters 7000 Series and powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals.
Part Number	54159	54257	54258	54259
UPC	5-00-51138-54159-5	0-00-51138-54257-3	0-00-51138-54258-0	0-00-51138-54259-7
Product Name	3M™ Full Facepiece Reusable Respirator 6900 Large	3M™ Full Facepiece 7800S Small	3M™ Full Facepiece 7800S Medium	3M [™] Full Facepiece 7800S Large
Packaging	4 per case	1 per case	1 per case	1 per case

3M™ Automotive Face Protection Products Replacement Parts (continued)

	66098	76567	76624	82701
Description	This hood is a replacement part for 3M [™] Hood Assemblies H-421 and H-422.	Use as a replacement part for 3M [™] Half Facepieces 6000 Series.	Use as a replacement part for 3M™ Full Facepieces 6000 Series. Use to seal 3M™ Center Adapter Assembly 6892 or 3M™ DIN Port Adapter Assembly 6884 to facepiece.	Standard size, molded general purpose polycarbonate faceshield offers high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. Requires protective eyewear, sold separately.
Part Number	66098	76567	76624	82701
UPC	5-00-51138-66098-2	5-00-51138-76567-0	5-00-51138-76624-0	1-00-78371-82701-1
Product Name	3M™ Respirator Hood	3M [™] Head Harness Assembly 6281	3M [™] Center Adapter Gasket 6896	3M™ Clear Polycarbonate Faceshield WP96
Packaging	10 per case	20 per case	20 per case	10 per case
	82783	90028	90028-00000	90030
Description	A combination headgear and faceshield safety system. Includes 3M TM H8A Ratchet Headgear and 3M TM WP96 Polycarbonate Faceshield. Adjustable ratchet suspension. Molded faceshield provides impact protection. Requires protective eyewear, sold separately.	Professional faceshield protects the face and neck from flying particles and chemical splash. High strength polycarbonate window and crown protector are ideal for projects that include grinding, weed trimming, woodworking and more. ANSI Z87.1/CSA Z94.3	Professional faceshield protects the face and neck from flying particles and chemical splash. High strength polycarbonate window and crown protector are ideal for projects that include grinding, weed trimming, woodworking and more. ANSI Z87.1/CSA Z94.3.	Premolded clear polycarbonate window is high strength and is designed to fit the patented professional or deluxe faceshields. ANSI Z87.1/CSA Z94.3.
Part Number	82783	90028	90028-00000	90030
UPC	1-00-78371-82783-7	1-00-78371-61232-7	1-00-78371-90028-8	1-00-78371-90030-1
Product Name	3M [™] Ratchet Headgear H8A With Clear WP96 Polycarbonate Faceshield	3M [™] Professional Faceshield 90028-80025	3M [™] Professional Faceshield 90028-00000	3M™ Clear Replacement Polycarbonate Faceshield Window 90030-00000
Packaging	5 per case	5 per case	5 per case	5 per case
	L-112-2	L-184	L-950	
Description	The M-958/L-112 Chin Strap is for use with all 3M™ Versaflo™ M-Series or 3M™ L-Series products. It helps hold the headgear in place on the user. The chin strap is optional and is not required for safe use of the headgear.	This shield, 4 1/2 inches x 5 1/4 inches, can be used with 3M™ Headgear L-505, L-705 and L-905. It is used to improve protection against radiated high temperatures of welding operations.	Designed for use with 3M™ Helmet L-900 Series. This shell meets both ANSI and CSA Class G standards for industrial headgear protection. This shell is for use in applications in which top and side impact may occur.	
Part Number	L-112-2	L-184	L-950	
UPC	5-00-51138-66256-6	0-00-51138-66394-0	0-00-51138-66157-1	
Product Name	3M™ Versaflo™ Chin Strap M- 958/L-112	3M™ High Temperature Welding Shield L-184	3M™ Helmet Shell L-950	
Packaging	2 per case	1 per case	1 per case	

3M™ Ear Muffs

	05163	07063	08061	08073
				50
Description	Deluxe personal hearing protector, cap-mount earmuffs deliver soft, cushioned comfort and solid, dependable hearing protection.	Great comfort and fit with the large multi-position ear cups. Creates a comfortable and consistent ear cup seal with the wide forked headband. Offers excellent fit and comfort with the soft sealing cushions.	For noise levels up to 95dBA, the lightweight and comfortable Optime 95 features low-profile ear cups that fit well with most helmets, eyewear, and other safety equipment.	3M [™] Peltor [™] Optime [™] 101 Cap- Mount Earmuffs, Hearing Conservation H7P3E 10 EA/Case
Part Number	05163	07063	08061	08073
UPC	0-73-18640-05163-8	0-00-51131-07063-9	1-00-93045-08061-5	1-00-93045-08073-8
Product Name	Orange Hi-Viz™ Series Cap-Mount Earmuffs H31P3E	3M [™] General Purpose Ear Muff 07063	Optime™ 95 Over-the-Head Earmuffs H6A/V	3M [™] Peltor [™] Optime [™] 101 Cap- Mount Earmuffs
Packaging	10 per case	20 per case	10 per case	10 per case
	08091	08101	20006	22004
Description	For noise levels up to 98dBA, delivers effective protection for midrange environments comfortably.	3M [™] Peltor [™] Optime [™] 105 Over-the-Head Earmuff Hearing Conservation H10A 10 EA/Case	Soft, E-A-Rform™ foam tips keep feeling and fitting better as the day goes on. The hybrid foam formulation reacts to body temperature, warms, conforms, and becomes softer with wear time.	E-A-R™ Swerve Banded Hearing Protector
Part Number	08091	08101	20006	22004
UPC	1-00-93045-08091-2	1-00-93045-08101-8	1-00-80529-20006-5	1-00-80529-22004-9
Product Name	Optime™ 98 Over-the-Head Earmuffs H9A	3M [™] Peltor [™] Optime [™] 105 Over-the-Head Earmuff Hearing Conservation H10A	E-A-Rflex [™] Semi-Aural Hearing Protector 320-1000	3M [™] E-A-R [™] Swerve [™] Banded Hearing Protector 322-2000
Packaging	10 per case	10 per case	100 per case	10 per case
	30000	30001	90537-00002	90540-00000
Description	Low-profile and lightweight protection may be worn over-the-head, behind-the-head, or under-the-chin.	Versatile wearing positions accommodate a wide range of wearers and work processes. • Large earcup openings with soft, foamfilled cushions provide excellent protection and comfort.	NRR 28dB. Lightweight and adjustable. Store around neck when not being used. Pods are washable, detachable & replaceable.	NRR 20dB. Economical hearing pro- tection. Adjustable.
Part Number	30000	30001	90537-00002	90540-00000
UPC	1-00-80529-30000-0	1-00-80529-30001-7	1-00-80529-90537-3	0-00-78371-90540-8
Product Name	3M [™] E-A-R [™] Earmuffs	E-A-R™ Earmuffs 330-3002	3M [™] Banded Style Hearing Protector 90537-00002	3M [™] Basic Earmuff 90540-00000
Packaging	24 per case	24 per case	10 per case	6 per case

3M[™] Ear Muffs (continued)

	90560-0001	90560-80025	H10B	H6B/V
Description	NRR 21dB. Low profile cup design. Ideal for moderately loud condi- tions.	NRR 21dB. Low profile cup design. Ideal for moderately loud condi- tions.	For noise levels up to 105 dBA, these earmuffs with double-shell technology provide optimal protec- tion.	For noise levels up to 95dBA, the lightweight and comfortable Optime 95 features low-profile ear cups that fit well with most helmets, eyewear, and other safety equipment.
Part Number	90560-0001	90560-80025	H10B	H6B/V
UPC	0-00-78371-90560-6	1-00-78371-62022-3	1-00-93045-08102-5	1-00-93045-08062-2
Product Name	3M [™] Low Profile Folding Earmuff 90560-00001	3M [™] Stowaway® Earmuff 90560- 80025 Cut Case	3M [™] Peltor [™] Optime [™] 105 Behind-the-Head Earmuffs	3M™ Peltor™ Optime™ 95 Behind-the-Head Earmuffs
Packaging	4 per case	8 per case	10 per case	10 per case
	Н7А			
Description	For noise levels up to 101dBA, the Optime 101 combines excellent hearing protection and comfort for louder environments.			
Part Number	H7A			
UPC	1-00-93045-08071-4			
Product Name	3M [™] Peltor [™] Optime [™] 101 Over-the-Head Earmuffs			
Packaging	10 per case			

3M™ Foam and Reusable Ear Plugs

	00399	01400	01401	11011
				ENGINE CONTROL OF THE PARTY OF
Description	Starter sku for AAD Planogram. Contains 14 different 3M earplug sku's - one box of each, plus a free box of Skull Screws a free box of Pistonz, and 2 free One Touch Dispensers.	The Pistonz push-to-fit, uncorded earplug features soft foam tips with a metallic look and a convenient thumb-grip stem. No-roll foam makes fitting easy; simply push the foam into the earcanal and twist to adjust the fit.	Pistonz corded, push-to-fit earplugs are stylish hearing protection that feature soft foam tips with a metallic look and a convenient thumbgrip stem. No-roll foam makes fitting easy; simply push the earplug into the earcanal and twist to adjust the fit.	3M™ E-A-R™ Express™ Pod Plugs™ Corded Earplugs, Hearing Conservation Assorted Grips 311- 1115 in Pillow Pak
Part Number	00399	01400	01401	11011
UPC	1-00-80529-19085-4	1-00-93045-93401-7	1-00-93045-93402-4	1-00-80529-11011-1
Product Name	3M [™] AAD Hearing Planogram 399- 1000	3M [™] Pistonz [™] Uncorded Earplugs P1400	3M™ Pistonz™ Corded Earplug	3M [™] E-A-R [™] Express [™] Pod Plugs [™] Corded Earplugs
Packaging	1 per case	400 per case	400 per case	400 per case

	11033	11059	12002	12013	
	Q	Q			
Description	The world's softest earplugs and the highest NRR available in the industry.	The patented "fitting ring" provides a guideline for proper insertion and quick visual compliance check.	The world's first foam earplugs and still the most widely used cylindrical earplug today.	3M [™] TaperFit [™] 2 Regular Uncorded Earplugs, Hearing Conservation 312-1219 in Poly Bag	
Part Number	11033	11059	12002	12013	
UPC	1-00-80529-11033-3	1-00-80529-11059-3	1-00-80529-12002-8	1-00-80529-12013-4	
Product Name	3M [™] E-A-R [™] E-A-Rsoft [™] Yellow Neons Corded Earplugs	3M [™] E-A-R [™] E-A-Rsoft [™] SuperFit [™] Corded Earplugs	3M [™] E-A-R [™] Classic [™] Uncorded Earplugs	3M [™] E-A-R [™] TaperFit [™] 2 Regular Uncorded Earplugs	
Packaging	2000 per case	2000 per case	2000 per case	2000 per case	
	12017	12063	12077	12083	
		 	d		
Description	Smooth, self-adjusting foam provides an individualized fit for improved seal and good attenuation. The trademarked yellow color assures you of E-A-R's proven protection.	3M™ E-A-R™ E-A-Rsoft™ Yellow Neons Uncorded Earplugs, Hearing Conservation 312-1250 in Poly Bag Regular Size	The patented "fitting ring" provides a guideline for proper insertion and a quick visual compliance check.	The patented "fitting ring" provides a guideline for proper insertion and quick visual compliance check.	
Part Number	12017	12063	12077	12083	
UPC	1-00-80529-12017-2	1-00-80529-12063-9	1-00-80529-12077-6	1-00-80529-12083-7	
Product Name	3M™ E-A-R™ TaperFit™ 2 Regular Corded Earplugs	3M [™] E-A-R [™] E-A-Rsoft [™] Yellow Neons Uncorded Earplugs	Classic [™] SuperFit [™] 30 Uncorded Earplugs 312-4201	3M [™] E-A-R [™] E-A-Rsoft [™] SuperFit [™] Uncorded Earplugs	
Packaging	2000 per case	2000 per case	2000 per case	2000 per case	
	12085	12086	18000	18002	
	65				
Description	Proprietary bell shape and super- soft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry.	Bell shape and super-soft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry.	Proprietary E-A-Rform™ foam tip provides protection with the ultimate comfort throughout the day.	Patented E-A-Rform™ foam tip provides protection with the ultimate comfort throughout the day.	
Part Number	12085	12086	18000	18002	
UPC	1-00-80529-12085-1	1-00-80529-12086-8	1-00-80529-18000-8	1-00-80529-18002-2	
Product Name	3M [™] E-A-R [™] E-A-Rsoft [™] FX [™] Corded Earplugs	3M [™] E-A-R [™] E-A-Rsoft [™] FX [™] Uncorded Earplugs	Push-Ins™ Uncorded Earplugs 318-1000	Push-Ins™ Uncorded Earplugs 318-1002	
Packaging	2000 per case	2000 per case	400 per case	2000 per case	

	18003	19063	19066	21011
	9	So		3000 S
Description	Patented E-A-Rform [™] foam tip provides protection with the ultimate comfort throughout the day.	Replacement Pods for E-A-Rflex 28 Hearing Protector (#320-1000).	Replacement Pods for E-A-R Caps Model 200 Hearing Protector (#350-2100 and #321-2101).	Advanced "no-roll" foam and pad- dle-style grips make getting a good fit easier than ever.
Part Number	18003	19063	19066	21011
UPC	1-00-80529-18003-9	1-00-80529-19063-2	1-00-80529-19066-3	1-00-80529-21011-8
Product Name	3M [™] E-A-R [™] Push-Ins [™] Corded Earplugs	E-A-Rflex [™] 28 Replacement Pods 320-1001	E-A-R Caps™ Model 200 Hearing Protector Replacement Pods 321- 2103 10 PK/Case	3M [™] E-A-R [™] Express [™] Pod Plugs [™] Corded Earplugs
Packaging	2000 per case	50 per case	10 per case	400 per case
	29008	29009	310-1001	311-1101
Description	3M [™] Uncorded Foam Earplugs, Hearing Conservation 1100	The comfortable fit of soft foam ear plugs with the convenience of a cord. Recommended for moderate to high noise (up to 100 dBA TWA). Disposable, orange	3M [™] E-A-R [™] Classic [™] Uncorded Earplugs, Hearing Conservation in Pillow Pak 310-1001	The world's first foam earplugs and still the most widely used cylindrical earplug today.
Part Number	29008	29009	310-1001	311-1101
UPC	5-00-51138-29008-0	5-00-51138-29009-7	1-00-80529-10000-6	1-00-80529-11001-2
Product Name	3M™ Uncorded Foam Earplugs	3M™ Corded Foam Earplugs	3M [™] E-A-R [™] Classic [™] Uncorded Earplugs	3M [™] E-A-R [™] Classic [™] Corded Earplugs
Packaging	1000 per case	500 per case	2000 per case	2000 per case
	311-1252	312-1252	37153	391-1000
			GEN	
Description	3M™ E-A-R™ E-A-Rsoft™ Yellow Neon Blasts Corded Earplugs, Hearing Conservation 311-1252 in Poly Bag Regular Size 2000 PR/Case These corded foam earplugs offer a soft, low-pressure solution with a exciting flame graphics.	Serious protection with a fun twist that improves voluntary compli- ance. The world's softest earplugs with the highest NRR available.	Optional heavy base for 3M [™] Foam Ear Plug Dispenser Assembly 1100-DP or 1120-DP/37151(AAD). For use on horizontal surfaces such as counters or table tops.	Quick, clean and convenient access to a wide selection of earplugs with NRR of up to 33 dB available.
Part Number	311-1252	312-1252	37153	391-1000
UPC	1-00-80529-11035-7	1-00-80529-12065-3	5-00-51131-37153-3	1-00-80529-91000-1
Product Name	3M [™] E-A-R [™] E-A-Rsoft [™] Yellow Neon Blasts Corded Earplugs	3M [™] E-A-R [™] E-A-Rsoft [™] Yellow Neon Blasts Uncorded Earplugs	3M [™] Ear Plug Dispenser Base DSP-B	E-A-R™ One Touch™ Earplug Dispenser 391-1000 1 EA/Case
Packaging	2000 per case	2000 per case	4 per case	1 per case

	391-1001	391-1010	40001	40003
	Cinate	as Add Prints		2
Description	The world's first foam earplugs and still the most widely used cylindrical earplug today. Packaged in convenient Refill Bottles to fit your One Touch dispenser.	Serious protection with a fun twist that improves voluntary compli- ance. The world's softest earplugs with the highest NRR available.	Patented curved flange design gently hugs the ear canal to provide an effective seal protecting against noise. • Patented, premolded, triple-flange design inserts easily.	3M [™] E-A-R [™] UltraFit [™] Corded Earplugs, Hearing Conservation 340-4004 in Poly Bag 400 PR/Case
Part Number	391-1001	391-1010	40001	40003
UPC	1-00-80529-91001-8	1-00-80529-91012-4	1-00-80529-40001-4	1-00-80529-40003-8
Product Name	E-A-R™ Classic™ One Touch™ Refill 391-1001 2000 PR/Case	E-A-Rsoft™ Yellow Neon Blasts One Touch™ Dispenser Refill 391- 1010	3M™ E-A-R™ UltraFit™ Corded Earplugs	3M [™] E-A-R [™] UltraFit [™] Corded Earplugs
Packaging	2000 per case	2000 per case	200 per case	400 per case
	52845	61273	90579-00000	90580-00000
	100			
Description	This reusable, multi-flange designed ear plug fits securely in the ear canal and helps provide reliable protection. The bright orange color provides high visibility to allow employers to identify employees wearing their ear plugs. Recommended for moderate noise (up to 95 dBA TWA).	This Peltor headset allows the wearer to listen to music while wearing hearing protection. The 2600 E-A-Rbud corded earplugs are comfortable in-ear, noise-isolating earplugs specifically designed for MP3 and other digital entertainment players.	NRR 29dB, #1 selling earplug in the world. Soft foam comfortable to wear over extended time. Expands slowly to fit virtually any ear canal.	NRR 29dB, #1 selling earplug in the world. Soft foam comfortable to wear over extended time. Expands slowly to fit virtually any ear canal. Comes with handy storage container.
Part Number	52845	61273	90579-00000	90580-00000
UPC	5-00-51131-52845-6	1-00-78371-61273-0	1-00-78371-90579-5	0-00-78371-90580-4
Product Name	3M™ Reusable Ear Plug 1260	3M [™] Peltor [™] E-A-Rbud [™] Corded Earplugs 2600	3M [™] Traditional Disposable Earplugs 90579-00000	3M [™] Traditional Disposable Earplugs 90580-00000
Packaging	500 per case	1 per case	50 packs per box 10 boxes per case	40 pair per case

	90585	90585 90586-00000 91004		97317-00000
			E ARROTT	Q
Description	NRR 25dB. Triple flange design for a comfortable, snug fit. Handy storage container keeps earplugs clean when not being worn. Washable.	NRR 25dB. Triple flange design for a comfortable, snug fit. Handy storage container keeps earplugs clean when not being worn. Washable. Cord reduces the chance of earplugs falling into work area and allows for easier in/out application.	The world's softest earplugs and the highest NRR available in the industry.	3 pair of corded re-usable triple flange earplugs with convenient car- rying case. NRR 26. Washable
Part Number	90585	90586-00000	91004	97317-00000
UPC	1-00-78371-90585-6	1-00-78371-90586-3	1-00-80529-91004-9	1-00-78371-61006-4
Product Name	3M™ Tri-Flange® Reusable earplugs 90585-00000	3M [™] Tri-Flange® reusable corded earplugs 90586-00000	3M [™] E-A-R [™] E-A-Rsoft [™] Yellow Neons One Touch [™] Refill Uncorded Earplugs	3M [™] Peltor® Tri-Flange® Next Earplugs
Packaging	10 per case	10 per case	2000 per case	3 per pack 10 packs per case
- aonaging	10 por oddo	10 por 0000	2000 poi 0000	o por paore to paore por oaco
- actaging	98015	P1300	P1301	P3000
. acraging	'	·	•	
Description	'	·	•	
	98015 Bright purple earplug with convenient grips keeps insertion easy and	P1300 Skull Screw corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering hygienic no-roll convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean,	No-roll convenience Look of metal, soft feel of foam Twist-to-seal design Noise jamming NRR of 30db	P3000 Earplugs with triple flanges provide
Description	98015 Bright purple earplug with convenient grips keeps insertion easy and hygienic.	Skull Screw corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering hygienic no-roll convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean, easy twist.	No-roll convenience Look of metal, soft feel of foam Twist-to-seal design Noise jamming NRR of 30db Corded P1301	P3000 Earplugs with triple flanges provide multiple seals against noise.
Description Part Number	98015 Bright purple earplug with convenient grips keeps insertion easy and hygienic.	P1300 Skull Screw corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering hygienic no-roll convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean, easy twist. P1300	No-roll convenience Look of metal, soft feel of foam Twist-to-seal design Noise jamming NRR of 30db Corded P1301	P3000 Earplugs with triple flanges provide multiple seals against noise. P3000

00399	
0039912 11320	39
00413	39
01400	39
01401	39
03286	39
05163	39
07000	39
07001	39
0700229 0715723 11474	39
07003	39
07006	39
07008	40
07009	40
07010	40
07012	40
07023	40
07024	40
07025	40
07026	40
07031	53
07033	53
07034	53
07035	53
07036	53
07037	53
0703822 0718427-28, 31 12085	53
07039	53
07041	47
07042	40
07043	40
07044	40
07045	40
07046	41
07047	41
07048	41
07054	41
07063	6
0706551 16050	6
0713051 16051	6
0713951 16054	7
0714051 16644	41
0714152 17094	47
07142	47
0714353 17157	36
07144	36

Product Number	Page	Product Number	Page	Product Number	Page
17159	36	37006	13	37142	30
17195	36	37007	13	37143	30
17196	36	37008	16	37144	30
17232	36	37009	23	37146	30
17596	7	37010	23	37147	30
18000	53	37011	23	37148	30
18002	53	37012	23	37149	33
18003	54	37013	23	37153	54
19063	54	37014	23	37165	33
19066	54	37015	23	37172	33
19222	48	37016	23	37173	31
20006	51	37017	23	37174	36
21011	54	37018	16	37175	36
21294	48	37019	16	37176	36
21297	48	37020	17	37177	36
21303		37021		37178	
21306		37022		37179	
21340		37023		37180	
21421		37027		37188	
21584		37077		37189	
21585		37078		37190	
21587		37079		37191	
22004		37080		37230	
28882		37081		37231	
28990		37082		37232	
28991		37083		37233	
29002		37117		37234	
29003		37122		37235	
		37124			
29008				37236	
29009		37125		37237	
29097		37126		37238	
29113		37127	,	37239	
29114		37129	ŕ	37240	
29208		37130		37241	
29209		37131		37242	
30000		37132		37243	
30001		37133		37244	•
310-1001		37134		37245	
311-1101		37135		37301	•
311-1252		37136		37302	
312-1252	54	37137	30, 33	391-1000	54
37000	13	37138	33	391-1001	55
37001	23	37139	33	391-1010	55
37004	13	37140	30, 33	40001	55
37005	13	37141	30, 33	40003	55

46988 41 52070 43 76824 59 40709 41 82071 43 82731 47,50 40711 41 62084 43 82733 47,50 40715 41 62113 43 88735 45 40779 41 62113 43 889150 45 40726 42 62169 43 89164 46 41076 42 62188 43 89164 46 41076 42 62188 43 89380 37 46266 7 82205 43 89380 37 46467 31 62227 43 89381 37 46467 31 62222 43 89387 35 46467 31 62222 43 89387 35 46526 49 62224 44 90029 50 52750 99 62255 44 90029 </th <th>Product Number</th> <th>Page</th> <th>Product Number</th> <th>Page</th> <th>Product Number</th> <th>Page</th>	Product Number	Page	Product Number	Page	Product Number	Page
40711 41 62012 43 82785 47, 50 40715 41 62112 43 83755 45 40719 41 62113 43 88918 45 40721 41 62114 43 89188 45 40726 42 62189 43 89164 46 40766 42 62189 43 89365 35 46266 7 62026 43 89380 37 46464 9 62207 43 89381 37 46465 31 6221 43 89382 38 46467 31 62224 44 90028 50 50663 8 86226 44 90028 50 52750 9 62224 44 90529 5 52750 9 62235 44 90527 40 52789 47.9 62224 44 90528	40698	41	62070	43	76624	50
40715 41 62112 43 83735 45 40719 41 62113 43 8807 .7 40721 41 62114 43 89186 .45 40728 42 62169 43 89164 .46 41076 42 62198 43 89366 .35 48664 9 62207 43 89381 .37 48664 9 62207 43 89381 .37 46465 31 62211 43 89382 .38 46467 31 62221 43 89387 .35 46467 31 62222 43 89387 .35 46467 31 62224 44 90028 .50 50883 8 62225 44 90028 .50 52750 9 62235 44 90549002 .51 52789 47 49 62245 44 </td <td>40709</td> <td>41</td> <td>62071</td> <td>43</td> <td>82701</td> <td>47, 50</td>	40709	41	62071	43	82701	47, 50
40719 41 62113 43 66807 7 40721 41 62114 43 89186 45 40726 42 62169 43 89186 45 40766 42 62198 43 89396 35 46266 7 62206 43 89390 37 46464 9 62207 43 89381 37 46465 31 6221 43 89382 38 46467 31 62224 44 90028 50 50863 8 62226 44 90028 50 52512 5 62227 44 90028 50 52750 9 6235 44 90629-00025 46 52751 49 62269 44 9052-90025 46 52754 49 62269 44 9052-90025 46 52755 49 62269 44 9054-	40711	41	62084	43	82783	47, 50
40721 41 62114 43 89158 45 40726 42 62199 43 89164 46 41076 42 62198 43 89360 35 46286 7 62206 43 89380 37 46464 9 62207 43 89381 37 46465 31 62211 43 89387 35 46467 31 62222 43 89387 35 46526 49 62224 44 90028 50 50863 8 62226 44 90028 50 52750 9 62255 44 90529 50 52754 49 62225 44 90537-0002 51 52759 49 62269 44 90540-0000 51 52799 49 62291 44 90560-0001 52 52845 55 62302 44 90	40715	41	62112	43	83735	45
40726 42 62169 43 89164 46 41076 42 62198 43 89356 35 46286 7 62206 43 89380 37 46464 9 62207 43 89381 37 46465 31 62211 43 89387 35 46566 49 62224 43 89387 35 50663 8 62226 44 90028 50 50663 8 62226 44 90028 50 52750 9 9 62235 44 90028 50 52751 5 62227 44 90058-90025 46 52754 49 62245 44 9055-90025 46 52755 49 62282 44 9056-90000 51 52789 47,49 62282 44 9056-90005 56 52845 55 62302	40719	41	62113	43	86807	7
41076 42 62198 43 89356 35 46286 .7 62206 .43 89380 37 46464 .9 62207 .43 89382 .38 46465 .31 62211 .43 89382 .38 46467 .31 62222 .43 89387 .35 46566 .9 62224 .44 90028 .50 50863 .8 82226 .44 90029-00000 .50 52750 .9 62225 .44 90509-00005 .46 52754 .49 62245 .44 90509-00005 .51 52754 .49 62245 .44 90509-0000 .51 52755 .49 62289 .44 90509-0000 .51 52789 .47,49 62282 .44 90509-0000 .52 52845 .55 62302 .44 90509-0000 .56 54143 .9 <td>40721</td> <td>41</td> <td>62114</td> <td>43</td> <td>89158</td> <td>45</td>	40721	41	62114	43	89158	45
40286 7 62206 .43 89380 .37 48444 9 62207 .43 88381 .37 48465 .31 62221 .43 89382 .38 46467 .31 62222 .43 89387 .35 50663 .88 62224 .44 90028-0000 .50 50752 .5 62227 .44 90028-0000 .50 52750 .9 62235 .44 90520-50025 .46 52754 .49 62245 .44 9052-50025 .46 52755 .99 62235 .44 9052-50025 .46 52759 .47 .49 62289 .44 9055-0002 .51 52755 .49 62289 .44 9056-0000 .52 52799 .47 .62320 .44 9056-0000 .52 52414 .95 .6231 .44 9056-0000 .56 54	40726	42	62169	43	89164	46
49464 9 62207 43 89381 37 45465 31 62211 43 89382 38 46467 31 62222 43 89387 35 50663 49 62224 44 90028 50 50663 8 62266 44 90028-00000 50 52512 5 62227 44 90028-00000 50 52750 9 62235 44 90527-00002 51 52754 49 62245 44 90537-00002 51 52755 49 62269 44 90540-00000 51 52759 47 9 62262 44 90540-00000 51 52799 47 9 62281 44 90560-0001 52 52845 55 62302 44 9050-00005 52 54143 9 62221 44 9050-0000 55 54145	41076	42	62198	43	89356	35
49465 31 62211 43 89382 38 45467 31 62222 43 89387 35 50663 8 62224 44 90028-00000 50 50663 8 62226 44 90028-00000 50 52750 9 62235 44 90525-60025 46 52754 49 62245 44 90537-00002 51 52755 49 62269 44 90507-00000 51 52789 47,49 62282 44 90562-00025 46 52789 47,49 62282 44 90560-0001 52 52845 55 62302 44 90560-0001 52 54143 9 6231 44 90690-0000 55 54145 49 62329 44 90690-0000 55 54146 49 62331 45 90690-0000 46 54159 49	46286	7	62206	43	89380	37
46467 31 62222 43 89387 35 46526 49 62224 44 90028 50 50863 .8 62226 44 90030 50 52750 .9 62235 44 90030 51 52750 .9 62235 44 90525-80025 46 52754 .49 62245 44 90537-00002 .51 52755 .49 62289 44 90582-80025 .46 52799 .47 62289 .44 90582-80025 .46 52799 .47 62302 .44 90580-0000 .51 52799 .49 62301 .44 90580-0001 .52 52845 .55 6302 .44 90580-0000 .55 54143 .9 62321 .44 90580-0000 .55 54146 .49 62329 .44 90580-0000 .56 54187 .31 <td>46464</td> <td>9</td> <td>62207</td> <td>43</td> <td>89381</td> <td>37</td>	46464	9	62207	43	89381	37
46526 49 62224 44 90028 50 50863 8 62226 44 90039 50 52512 5 62227 44 90039 50 52750 9 62235 44 90537-90002 51 52754 49 62245 44 90537-90002 51 52755 49 62269 44 90540-90000 51 52759 47, 49 62282 44 90560-0001 52 52789 49 62301 44 90560-0001 52 52845 55 62302 44 90560-0001 52 54143 9 62321 44 90560-0001 55 54146 49 62328 44 90580-0000 55 54146 49 62329 44 90580-0000 56 54187 31 62341 45 90586-0000 46 54257 49 623	46465	31	62211	43	89382	38
50863 .8 62226 .44 90028-00000 .50 52512 .5 62227 .44 90030 .50 52750 .9 62255 .44 90537-0002 .51 52754 .49 62249 .44 90537-0000 .51 52755 .49 62269 .44 90540-0000 .51 52789 .47 49 62282 .44 90552-8025 .46 52799 .49 62301 .44 90560-0001 .52 .52 52845 .55 62302 .44 90570-0000 .55 .52 54143 .9 62321 .44 90580-0000 .55 .54 .54 .55 .52 .52 .54 .44 90580-0000 .55 .54 .54 .90580-0000 .55 .54 .54 .90580-0000 .55 .54 .54 .90580-0000 .46 .54 .54 .90580-0000 .46 .54 <td< td=""><td>46467</td><td>31</td><td>62222</td><td>43</td><td>89387</td><td>35</td></td<>	46467	31	62222	43	89387	35
52512 5 62227 44 90030 50 52750 9 62235 44 90525-80025 46 52754 49 62245 44 90537-00002 51 52755 49 62269 44 90540-0000 51 52789 47,49 62282 44 90562-80025 46 52799 49 62301 44 90560-0001 52 52845 .55 62302 44 90560-00025 .52 54143 .9 623221 44 90580-00005 .55 54145 .49 62328 44 90580-0000 .55 54146 .49 62328 44 90580-0000 .56 54159 .49 62331 .45 90586-0000 .56 54159 .49 62341 .45 90586-0000 .46 54257 .49 62343 .45 90978-0002 .46 54259	46526	49	62224	44	90028	50
52750 9 62235 44 90525-80025 46 52754 49 62245 44 90537-00002 51 52755 49 62269 44 90540-00000 51 52789 47, 49 62282 44 90552-80025 46 52789 49 62301 44 90560-0001 52 52845 55 62302 44 90560-00025 52 54143 9 62328 44 90587-00000 55 54146 49 62328 44 90580-0000 55 54146 49 62328 44 90580-0000 55 54146 49 62331 45 9058-0000 56 54187 31 62341 45 9058-0000 46 54257 49 62343 45 9034-80025 46 54258 49 62367 45 90974-80026 46 54259 49 </td <td>50863</td> <td>8</td> <td>62226</td> <td>44</td> <td>90028-00000</td> <td>50</td>	50863	8	62226	44	90028-00000	50
52754 49 62245 44 90537-00002 51 52755 49 62269 44 90540-00000 51 52789 47,49 62282 44 90552-80025 46 52799 49 62301 44 90560-80025 52 52845 55 62302 44 90579-00000 55 54143 9 62321 44 90580-00000 55 54145 49 62328 44 90580-00000 55 54146 49 62329 44 90580-00000 55 54187 31 62321 45 90580-0000 56 54187 31 62341 45 90580-0000 56 54187 31 62342 45 90580-0000 56 54187 31 62342 45 90580-0000 56 54187 31 62342 45 90580-0000 46 54257 4	52512	5	62227	44	90030	50
52755 49 62269 44 90540-00000 51 52789 47,49 62282 44 90552-80025 46 52799 49 62301 44 90560-0001 52 52845 55 62002 44 90560-80025 52 54143 9 62321 44 90560-80025 55 54145 49 62328 44 90580-00000 55 54146 49 62329 44 90580-00000 55 54146 49 62329 44 90580-00000 56 54159 49 62331 45 90586-00000 56 54187 31 62341 45 90586-00000 46 54259 49 62342 45 90834-80025 46 54257 49 62342 45 90834-80025 46 54259 49 62369 45 91004 56 54285 99<	52750	9	62235	44	90525-80025	46
52789 47, 49 62282 44 90552-80025 48 52799 49 62301 44 90560-0001 52 52845 55 62302 44 90560-80025 52 54143 9 62321 44 90560-80025 55 54145 49 62328 44 90580-00000 55 54146 49 62329 44 90580-00000 56 54159 49 62331 45 90586-0000 56 54187 31 62341 45 90586-0000 46 54203 7 62422 45 9034-80025 46 54257 49 62343 45 90976-8002 46 54258 49 62369 45 90974-80025 46 54258 49 62369 45 90974-80025 46 54259 49 62369 45 90974-80025 46 54285 9	52754	49	62245	44	90537-00002	51
52799 49 62301 44 90560-0001 52 52845 .55 62302 44 90560-80025 .52 54143 .9 62321 .44 90580-0000 .55 54146 .49 62328 .44 90580-0000 .55 54146 .49 62329 .44 90580-0000 .56 54159 .49 62331 .45 90586-0000 .46 54187 .31 62341 .45 90580-0000 .46 54203 .7 62342 .45 90834-80025 .46 54257 .49 62343 .45 90970-80002 .46 54258 .49 62367 .45 90974-80025 .46 54258 .49 62369 .46 9104 .56 54285 .9 62380 .45 90974-80025 .46 54285 .9 62380 .45 93033 .38 60418 <td>52755</td> <td>49</td> <td>62269</td> <td>44</td> <td>90540-00000</td> <td>51</td>	52755	49	62269	44	90540-00000	51
52845 55 62302 44 90560-80025 52 54143 9 62321 44 90579-00000 55 54145 49 62328 44 90580-00000 55 54146 49 62329 44 90585 56 54159 49 62331 45 90586-00000 56 54187 31 62341 45 90596-00000 46 54203 7 62342 45 90834-80025 46 54257 49 62343 45 90874-80025 46 54258 49 62367 45 90974-80025 46 54259 49 62369 45 90974-80025 46 54285 9 62380 45 91004 56 54285 9 62380 45 93033 38 60417 42 62386 45 93033 38 60418 42 62390<	52789	47, 49	62282	44	90552-80025	46
54143 9 62321 44 90579-00000 55 54145 49 62328 44 90580-00000 55 54146 49 62329 44 90585 56 54159 49 62331 45 90586-00000 56 54187 31 62341 45 90596-00000 46 54203 7 62342 45 90834-80025 46 54257 49 62343 45 90970-80002 46 54258 49 62367 45 90974-80025 46 54258 49 62367 45 90974-80025 46 54258 49 62369 45 9104 56 54259 49 62380 45 92988 35 54286 9 62380 45 93014 38 60417 42 62386 45 93033 38 60418 42 66124	52799	49	62301	44	90560-0001	52
54145 49 62328 44 90580-00000 55 54146 49 62329 44 90585 56 54159 49 62331 45 90586-00000 56 54187 31 62341 45 90596-00000 46 54203 7 62342 45 90834-80025 46 54257 49 62343 45 90970-80002 46 54258 49 62367 45 90974-80025 46 54259 49 62369 45 91004 56 54285 9 62380 45 92988 35 54371 9 62382 45 93014 38 60417 42 62386 45 93033 38 60418 42 62390 45 93038 38 61273 55 66098 50 93039 38 62034 42 66155	52845	55	62302	44	90560-80025	52
54146 49 62329 44 90585 56 54159 49 62331 45 90586-00000 56 54187 31 62341 45 90596-00000 46 54203 7 62342 45 90834-80025 46 54257 49 62343 45 90970-80002 46 54258 49 62367 45 90974-80025 46 54259 49 62369 45 91004 56 54285 9 62380 45 92988 35 54371 9 62382 45 93014 38 60417 42 62386 45 93033 38 60418 42 62390 45 93038 38 61273 55 66098 50 93039 38 62034 42 66124 24 93068 38 62040 8 66254 24	54143	9	62321	44	90579-00000	55
54159 49 62331 45 90586-00000 56 54187 31 62341 45 90596-00000 46 54203 7 62342 45 90834-80025 46 54257 49 62343 45 90970-80002 46 54258 49 62367 45 90974-80025 46 54259 49 62369 45 91004 56 54285 9 62380 45 92988 35 54371 9 62382 45 93014 38 60417 42 62386 45 93033 38 60418 42 62390 45 93033 38 61273 55 66098 50 93039 38 62034 42 66155 17 93219 38 62038 42 66155 17 93219 38 62040 38 66254 24 <td>54145</td> <td>49</td> <td>62328</td> <td>44</td> <td>90580-00000</td> <td>55</td>	54145	49	62328	44	90580-00000	55
54187 31 62341 45 90596-00000 46 54203 7 62342 45 90834-80025 46 54257 49 62343 45 90970-80002 46 54258 49 62367 45 90974-80025 46 54259 49 62369 45 91004 56 54285 9 62380 45 92988 35 54371 9 62382 45 93014 38 60417 42 62386 45 93033 38 60418 42 62390 45 93038 38 61273 55 66098 50 93039 38 62034 42 66124 24 93068 38 62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66297 9	54146	49	62329	44	90585	56
54203 7 62342 45 90834-80025 46 54257 49 62343 45 90970-80002 46 54258 49 62367 45 90974-80025 46 54259 49 62369 45 91004 56 54285 9 62380 45 92988 35 54371 9 62382 45 93014 38 60417 42 62386 45 93033 38 60418 42 62390 45 93038 38 61273 55 66098 50 93039 38 62034 42 66124 24 93068 38 62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66297 9 97317-0000 56 62059 42 6700IN 17	54159	49	62331	45	90586-00000	56
54257 49 62343 45 90970-80002 46 54258 49 62367 45 90974-80025 46 54259 49 62369 45 91004 56 54285 9 62380 45 92988 35 54371 9 62382 45 93014 38 60417 42 62386 45 93033 38 60418 42 62390 45 93038 38 61273 55 66098 50 93039 38 62034 42 66124 24 93068 38 62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66254 24 93271 35 62059 42 66375 24 98015 56 62059 42 6700DIN 17 985	54187	31	62341	45	90596-00000	46
54258 49 62367 45 90974-80025 .46 54259 49 62369 .45 91004 .56 54285 .9 62380 .45 92988 .35 54371 .9 62382 .45 93014 .38 60417 .42 62386 .45 93033 .38 60418 .42 62390 .45 93038 .38 61273 .55 66098 .50 93039 .38 62034 .42 66124 .24 93068 .38 62038 .42 66155 .17 93219 .38 62040 .8 66254 .24 93271 .35 62041 .8 66297 .9 97317-00000 .56 62058 .42 66375 .24 98015 .56 62059 .42 6700DIN .17 98559 .33 62060 .42 6800DIN .17 98561 .38 62062 .42 6900DIN <t< td=""><td>54203</td><td>7</td><td>62342</td><td>45</td><td>90834-80025</td><td>46</td></t<>	54203	7	62342	45	90834-80025	46
54259 49 62369 45 91004 56 54285 .9 62380 45 92988 .35 54371 .9 62382 45 93014 .38 60417 .42 62386 .45 93033 .38 60418 .42 62390 .45 93038 .38 61273 .55 66098 .50 93039 .38 62034 .42 66124 .24 93068 .38 62038 .42 66155 .17 93219 .38 62040 .8 66254 .24 93271 .35 62041 .8 66297 .9 97317-00000 .56 62058 .42 66375 .24 98015 .56 62059 .42 6700DIN .17 98558 .38 62060 .42 680DIN .17 98559 .33 62062 .42 690DIN	54257	49	62343	45	90970-80002	46
54285 .9 62380 .45 92988 .35 54371 .9 62382 .45 93014 .38 60417 .42 62386 .45 93033 .38 60418 .42 62390 .45 93038 .38 61273 .55 66098 .50 93039 .38 62034 .42 66124 .24 93068 .38 62038 .42 66155 .17 93219 .38 62040 .8 66254 .24 93271 .35 62041 .8 66297 .9 97317-00000 .56 62058 .42 66375 .24 98015 .56 62059 .42 6700DIN .17 98558 .38 62060 .42 6800DIN .17 98561 .38 62062 .42 6900DIN .17 98561 .38 62063 .42 76499 <td>54258</td> <td>49</td> <td>62367</td> <td>45</td> <td>90974-80025</td> <td>46</td>	54258	49	62367	45	90974-80025	46
54371 9 62382 45 93014 38 60417 42 62386 45 93033 38 60418 42 62390 45 93038 38 61273 55 66098 50 93039 38 62034 42 66124 24 93068 38 62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66297 9 97317-00000 56 62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	54259	49	62369	45	91004	56
60417 42 62386 .45 93033 .38 60418 42 62390 .45 93038 .38 61273 .55 66098 .50 93039 .38 62034 .42 66124 .24 93068 .38 62038 .42 66155 .17 93219 .38 62040 .8 66254 .24 93271 .35 62041 .8 66297 .9 97317-00000 .56 62058 .42 66375 .24 98015 .56 62059 .42 6700DIN .17 98558 .38 62060 .42 6800DIN .17 98561 .38 62062 .42 6900DIN .17 98561 .38 62063 .42 76499 .9 98562 .38	54285	9	62380	45	92988	35
60418 42 62390 45 93038 38 61273 55 66098 50 93039 38 62034 42 66124 24 93068 38 62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66297 9 97317-00000 56 62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	54371	9	62382	45	93014	38
61273 55 66098 50 93039 38 62034 42 66124 24 93068 38 62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66297 9 97317-00000 56 62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	60417	42	62386	45	93033	38
62034 42 66124 24 93068 38 62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66297 9 97317-00000 56 62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	60418	42	62390	45	93038	38
62038 42 66155 17 93219 38 62040 8 66254 24 93271 35 62041 8 66297 9 97317-00000 56 62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	61273	55	66098	50	93039	38
62040 8 66254 24 93271 35 62041 8 66297 9 97317-00000 56 62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	62034	42	66124	24	93068	38
62041 8 66297 9 97317-00000 56 62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	62038	42	66155	17	93219	38
62058 42 66375 24 98015 56 62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	62040	8	66254	24	93271	35
62059 42 6700DIN 17 98558 38 62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	62041	8	66297	9	97317-00000	56
62060 42 6800DIN 17 98559 33 62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	62058	42	66375	24	98015	56
62062 42 6900DIN 17 98561 38 62063 42 76499 9 98562 38	62059	42	6700DIN	17	98558	38
62063	62060	42	6800DIN	17	98559	33
	62062	42	6900DIN	17	98561	38
62064	62063	42	76499	9	98562	38
	62064	42	76567	50	98563	38

Product Number	Page
98564	35
98706	7
CB-1000	17
GVP-1	14
GVP-100	18
GVP-101	24
GVP-110	18
GVP-112	18
GVP-113	18
GVP-115	18
GVP-116	24
GVP-117	24
GVP-119	18
GVP-122	18
GVP-123	18
GVP-128	18
GVP-1U	14
GVP-401	18
GVP-402	18
GVP-403	18
GVP-404	19
GVP-405	19
GVP-440	19
GVP-442	19
GVP-443	19
GVP-444	19
GVP-445	19
GVP-CB	19
H10B	52
H6B/V	52
H7A	
L-112-2	50
L-114-2	24
L-117-2	24
L-120-5	
L-123-2	
L-124-5	
L-125-2	24
L-126-2	
L-127	
L-128-2	
L-129-2	
L-132-10	
L-134-10	
L-136	25

Product Number	Page
-140-10	2
-142-2	2
-145-10	2
-146	2
-147-2	2
-149-10	20
-150	20
-152-5	20
-153	20
-156	20
-162-2	20
-163	20
-165	20
-181	20
-182	20
-184	50
-191-2	20
-503	20
505	20
-550	20
701	20
-703	20
705	20
-750	20
905	20
-950	50
² 1300	50
°1301	50
23000	50
V281110	2 ⁻
V3012	2 ⁻
V30134	2
V3018	2 ⁻
V3020100	2
V302050	2
1/0.40550	_