


DESIGNED BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.

REVISIONS

LTR	DESCRIPTION	DATE	APPROVED
A	REDRAWN, REV. P-6080	4-21-70	FC
B	REVISED PER ECN P-6932	3-16-73	FC
C	REV PER G-4732	7/26/88	RT
D	REV/ O G 10-0007-98	1-26-98	TM



FOR .150 TO .250 WIRE INSULATION DIA.
TONGUE MATERIAL THK. = .048 ±.002

WIRE TERMINAL	322724	BODY: COPPER (ASTM B 152) TIN PL (ASTM B 545)		
		SLEEVE: COPPER (ASTM B 152)		
		INSULATION: YELLOW NYLON		
TY	DESCRIPTION	PART NO.	MATERIAL & FINISH	
PLEASE OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DIMENSIONS ± .008 ANGLES ± 5°	CONTRACT NO. —	DR. <i>Wayne Miller</i> 4-17-70	AMP INCORPORATED HARRISBURG, PENNSYLVANIA	
MATERIAL SEE TABLE	CHK. <i>P.C. Campbell</i> 4-21-70	NAME		
	APPD. <i>Swabel</i> 4-21-70	WIRE TERMINAL P.I.D.G.-RING TONGUE WIRE SIZE: 16-14HD		
	REL. <i>M. Ensminger</i> 4-22-70	SIZE	CODE IDENT NO.	NUMBER
	DSGN APPD	A	00779	322724
	OTHER APPD	SCALE	NTS	SHEET 1 OF 1